#### NEPAL ELECTRICITY AUTHORITY

(An Undertaking of Government of Nepal)

### DISTRIBUTION AND CONSUMER SERVICES DIRECTORATE NEPAL DISTRIBUTION SYSTEM UPGRADE AND EXPANSION PROJECT



#### **TENDER DOCUMENT**

for

Procurement of material, equipment, associated accessories and necessary installation services including design, erection, testing, and commissioning of 33/11 kV Substations and 33 kV, 11 kV, 400 V Lines and Distribution System Network – Package No. EIB-W3

Package No. EIB-W3 Subprojects: Musya of Baitadi District, and Budhiganga and Kolti of Bajura District

Single-Stage: Two-Envelope Tender Procedure

Issued on:

Invitation for Tenders No.: ICB-DCSD-2078/79-DSUEP-EIB-W3

Contract Ref. No.: ICB-DCSD-2078/79-DSUEP-EIB-W3

**Employer: Nepal Electricity Authority** 

Country: Nepal

Volume IIIA of III
(BoQ for 33 kV Lines and 33/11 kV Substations)

Distribution System Upgrade and Expansion Project Distribution and Consumer Services Directorate Nepal Electricity Authority Durbarmarg, Kathmandu

Tel: +977-1- 4153145

Email: dsuep@nea.org.np





### **Table of Contents - Summary Description**

| PART I   | TENDER PROCEDURES  |     |
|----------|--|-----|
|          | Section 1 - Instructions to Tenderers (ITT)  | 1-1 |
|          | Section 2 - Tender Data Sheet (TDS) This section consists of provisions that are specific to each procurement and supplement the information or requirements included in Section 1 (Instructions to Tenderers).  | 2-1 |
|          | <b>Section 3 - Evaluation and Qualification Criteria (EQC)</b> This section contains the tender evaluation criteria to determine the lowest evaluated Tender and lists the necessary qualifications of Tenderers.  | 3-1 |
|          | Section 4 - Tender Forms (TDF) This section contains the forms which are to be completed by the Tenderer and submitted as part of its Tender.  | 4-1 |
|          | Section 5 - Eligible Countries (ELC) This section contains the list of eligible countries.   | 5-1 |
| PART II  | REQUIREMENTS  Section 6 - Employer's Requirements (ERQ) This section contains the Scope of Supply of Plant and Services, Specifications, the Drawings, and Supplementary Information that describe the Facilities to be procured, Personnel Requirements, Equipment Requirements, Certificates, and Change Orders.               | 6-1 |
| PART III | CONDITIONS OF CONTRACT AND CONTRACT FORM   | S   |
|          | Section 7 - General Conditions of Contract (GCC)  This section contains the general clauses to be applied in all contracts. These Conditions are subject to the variations and additions set out in Section 8 (Special Conditions of Contract).  | 7-1 |
|          | Section 8 - Special Conditions of Contract (SCC) This section contains provisions that are specific to each contract and that modify or supplement the GCC. Whenever there is a conflict, the provisions herein shall prevail over those in the GCC. The clause number of the SCC is the corresponding clause number of the GCC. | 8-1 |
|          | Section 9 - Contract Forms (COF) This section contains forms, which, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful Tenderer after contract award.  | 9-1 |
|          |  |     |



### **Volume III**

### **Section 4: Tender Forms**

### **Table of Contents**

A Price Schedule

Name of Tenderer \_\_\_\_\_

Signature of Tenderer\_\_\_\_\_

Single-Stage: Lyb-Enveloper Electricity

# Volume III Section 4: Tender Forms Table of Contents

| Α  | Price Sch | edule  |
|----|-----------|--|
| 7. |           | Summary of Schedule of Plant and Mandatory Spare Parts Supplied from   |
|    | S-1       | Abroad   |
|    | S-1-A     | Schedule of Plant and Mandatory Spare Parts Supplied from Abroad for Substation  |
|    | S-1-B     | Schedule of Plant and Mandatory Spare Parts Supplied from Abroad for 33 kV   |
|    |           | Feeder/Tap-off Structure   |
|    | S-1-C     | Schedule of Plant and Mandatory Spare Parts Supplied from Abroad for 33 kV Line  |
|    | S-1-D     | Schedule of Plant and Mandatory Spare Parts Supplied from Abroad for Underground Cable   |
|    | S-2-A     | Schedule of Plant and Mandatory Spare Parts Supplied from Within the Employer's Country for Substation                                   |
|    | S-2-B     | Schedule of Plant and Mandatory Spare Parts Supplied from Within the Employer's Country for 33 kV Feeder/Tap-off Structure               |
|    | S-2-C     | Schedule of Plant and Mandatory Spare Parts Supplied from Within the Employer's Country for 33 kV Line                                   |
|    | S-2-D     | Schedule of Plant and Mandatory Spare Parts Supplied from Within the<br>Employer's Country for Underground Cable                         |
|    | S-3       | Summary of Schedule of Design Services   |
|    | S-3-A     | Schedule of Design Services  |
|    | S-4       | Summary of Schedule of Installation and Other Services   |
|    | S-4-A.1   | Schedule of Civil Works of Switchyard Components - Concrete Foundation as per technical specifications and approved design               |
|    | S-4-A.2   | Schedule of Installation Testing and Commissioning Works of Electrical Components of Substation  |
|    | S-4-A.3   | Schedule of Landscaping Works  |
|    | S-4-A.4   | Schedule of Building Works   |
|    | S-4-A.5   | Schedule of Roads and Drainage   |
|    | S-4-B.1   | Schedule of Civil Works of Interconnection Components - Concrete Foundation as per technical specifications and approved design/drawings |
|    | S-4-B.2   | Schedule of Installation Testing and Commissioning Works of Electrical Components of 33 kV feeder/Tap Off Structure                      |
|    | S-4-C     | Schedule of Installation, Testing and Commissioning Works and Civil Works of 33 kV Line  |
|    | S-4-D     | Schedule of Installation, Testing and Commissioning Works and Civil Works of Underground Cable   |
|    | S-4-E     | Schedule of Environment, Social Corporate Responsibility Works of Underground Cable  |
|    | S-5       | Summary of Schedule 1 to 4   |
|    | S-5-1     | Project Component wise Summary of Schedule 1 to 4  |
|    | S-6       | Schedule of Rates and Prices of Schedule No. 6: Recommended Spare Parts  |

Name of Tenderer \_\_\_\_\_

Signature of Tenderer\_\_\_\_\_



#### Nepal Electricity Authority

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

#### Schedule No. 5: Grand Summary (Excluding Custom Duty and VAT applicable in Employer's Country)

FC: USD

LC: NPR

| Schedule No. | Title   | Total Price      |                |  |  |
|--------------|---|------------------|----------------|--|--|
| Schedule No. | Title   | Foreign Currency | Local Currency |  |  |
| 1            | Plant and Mandatory Spare Parts Supplied from Abroad                        | -                | -              |  |  |
| 2            | Plant and Mandatory Spare Parts Supplied from Within the Employer's Country | -                | -              |  |  |
| 3            | Design Services   | -                | -              |  |  |
| 4            | Installation and Other Services   | -                | -              |  |  |
|              | Grand Total to be carried forward to Letter of Price Tender                 | -                | -              |  |  |

| Name of Tenderer |  |
|------------------|--|
|                  |  |

Signature of Tenderer\_\_\_\_\_



#### Nepal Electricity Authority

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

Project Component Wise Summary of Costs (Excluding Custom Duty and VAT applicable in Employer's Country)

FC: USD

|       | D  | Total            | Price          | Total Cost in Foreign | Total Cost in Local |  |
|-------|--|------------------|----------------|-----------------------|---------------------|--|
| Item  | Description  | Foreign Currency | Local Currency | Currency Only         | Currency Only       |  |
| 1     | 2  | 3                | 4              | 5 = 3 + 4/USD Rate    | 6 = 3*USD Rate + 4  |  |
| 1     | SUBSTATION   |                  |                |                       |                     |  |
| 1.1   | Plant and Mandatory Spare Parts Supplied from Abroad   | -                | -              | -                     | -                   |  |
| 1.2   | Plant and Mandatory Spare Parts Supplied from Within the Employer's Country  | -                | -              | -                     | -                   |  |
| 1.3   | Design Services  | -                | -              | -                     | -                   |  |
| 1.4   | Installation and Other Services  |                  |                | -                     | -                   |  |
| 1.4.1 | Civil Works of Switchyard Components - Concrete Foundation as per technical specifications and approved design               | -                | -              | -                     | -                   |  |
| 1.4.2 | Installation Testing and Commissioning Works of Electrical Components of Substation  | -                | -              | -                     | -                   |  |
| 1.4.3 | Landscaping Works  | -                | -              | -                     | -                   |  |
| 1.4.4 | Building Works   | -                | -              | -                     | -                   |  |
| 1.4.5 | Roads and Drainage   | -                | -              | -                     | -                   |  |
| T-1   | Sub Total of SUBSTATION  | -                | -              | -                     | -                   |  |
| 2     | 33 kV FEEDER / TAP OFF STRUCTURE   |                  |                |                       |                     |  |
| 2.1   | Plant and Mandatory Spare Parts Supplied from Abroad   | -                | -              | -                     | -                   |  |
| 2.2   | Plant and Mandatory Spare Parts Supplied from Within the Employer's Country  | -                | -              | -                     | -                   |  |
| 2.3   | Design Services  | -                | -              | -                     | -                   |  |
| 2.4   | Installation and Other Services  |                  |                | -                     | -                   |  |
| 2.4.1 | Civil Works of Interconnection Components - Concrete Foundation as per technical specifications and approved design/drawings | -                | -              | -                     | -                   |  |
| 2.4.2 | Installation Testing and Commissioning Works of Electrical Components of 33 kV feeder/Tap Off Structure                      | -                | -              | -                     | -                   |  |
| T-2   | Sub Total of 33 kV FEEDER / TAP OFF STRUCTURE  | -                | - 1            | -                     | -                   |  |
| 3     | 33 kV Line   |                  |                |                       |                     |  |
| 3.1   | Plant and Mandatory Spare Parts Supplied from Abroad   | -                | -              | -                     | -                   |  |
| 3.2   | Plant and Mandatory Spare Parts Supplied from Within the Employer's Country  | -                | -              | -                     | -                   |  |
| 3.3   | Design Services  | -                | -              | -                     | -                   |  |

| Name of Tenderer      |  |
|-----------------------|--|
|                       |  |
|                       |  |
| Signature of Tenderer |  |



#### Nepal Electricity Authority

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

Project Component Wise Summary of Costs (Excluding Custom Duty and VAT applicable in Employer's Country)

FC: USD

| Item     | Description   | Total            | Price          | Total Cost in Foreign | Total Cost in Local |  |
|----------|---|------------------|----------------|-----------------------|---------------------|--|
| Item     | Description   | Foreign Currency | Local Currency | Currency Only         | Currency Only       |  |
| 1        | 2   | 3                | 4              | 5 = 3 + 4/USD Rate    | 6 = 3*USD Rate + 4  |  |
| 3.4      | Installation and Other Services   |                  |                | -                     | -                   |  |
| 3.4.1    | Installation, Testing and Commissioning Works and Civil Works               | -                | -              | -                     | -                   |  |
| T-3      | Sub Total of 33 kV Line   | -                | -              | -                     | -                   |  |
| 4        | UNDERGROUND CABLE   |                  |                |                       |                     |  |
| 4.1      | Plant and Mandatory Spare Parts Supplied from Abroad                        | -                | -              | -                     | -                   |  |
| 4.2      | Plant and Mandatory Spare Parts Supplied from Within the Employer's Country | -                | -              | -                     | -                   |  |
| 4.3      | Design Services   | -                | -              | -                     | -                   |  |
| 4.4      | Installation and Other Services   |                  |                | -                     | -                   |  |
| 4.4.1    | Installation, Testing and Commissioning Works and Civil Works               | -                | -              | -                     | -                   |  |
| T-4      | Sub Total of UNDERGROUND CABLE  | -                | -              | -                     | -                   |  |
| 5        | Environment and Social Mitigation Works                                     |                  |                |                       |                     |  |
| 5.1      | Mitigation Works  | -                | -              | -                     | -                   |  |
| T-5      | Sub Total of Environment and Social Mitigation Works                        | -                | -              | -                     | -                   |  |
| Grand To | otal (Sum of T-1 T-5)   | -                | -              | -                     | -                   |  |

| Name of Tenderer     |    |
|----------------------|----|
|                      |    |
|                      |    |
|                      |    |
| Signature of Tendere | er |
|                      |    |



#### **Nepal Electricity Authority**

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Summary of Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

FC: USD

LC: NPR

| Schedule No.  | Title   | Total Price      |                |  |  |
|---------------|---|------------------|----------------|--|--|
| Scriedule No. | Title   | Foreign Currency | Local Currency |  |  |
| A.            | SUBSTATION                                      | -                | -              |  |  |
| B.            | 33 kV FEEDER / TAP OFF STRUCTURE                | -                | -              |  |  |
| C.            | 33 kV LINE                                      | -                | -              |  |  |
| D.            | UNDERGROUND CABLE                               | -                | -              |  |  |
|               | Grand Total to be carried forward to Schedule 5 | -                | -              |  |  |

Signature of Tenderer



#### Nepal Electricity Authority

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

|      |   |            |         | iule No. 1. Flant and N          | .,                        |                          |                  | ,              |                           |   |                   | FC: USD                      | LC: NPR  |
|------|---|------------|---------|----------------------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|---|-------------------|------------------------------|--|
| Item | Description   | Country of | of Unit | Unit Rate, CIP<br>(Nepal Border) |                           | Quantity                 |                  |                | Unit Rate, Dom            | nestic Transportation<br>Local Currency | on and Insurance, | Total, CIP (Nepal<br>Border) | Total, Domestic<br>Transportation and<br>Insurance |
|      |   | Origin     |         | Foreign Currency                 | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga                | Badimalika Kolti  | Foreign Currency             | Local Currency                                     |
| 1    | 2   | 3          | 4       | 5                                |                           | 6                        |                  | 7 = Σ6         |                           | 8                                       |                   | 9 = 5 x 7                    | 10 = Σ(π(8 x 6))                                   |
|      |   | _          |         | -                                | Α                         | В                        | С                |                | Α                         | В                                       | С                 |                              | -((,   |
| Α.   | SUBSTATION  |            |         |                                  |                           |                          |                  | -              |                           |   |                   | -                            | -  |
| A.1  | Power Transformers  |            |         |                                  |                           |                          |                  | -              |                           |   |                   | -                            | -  |
| 1    | 33/11 kV 12/16 MVA copper wound power transformer, CRGO core (with OLTC and RTCC Panel) complete with all accessories |            | set     |                                  | -                         | -                        | -                | -              |                           |   |                   | -                            | -  |
|      | 33/11 kV 6/8 MVA copper wound power transformer, CRGO core (with OLTC and RTCC Panel) complete with all accessories   |            | set     |                                  | -                         | -                        | -                | -              |                           |   |                   | -                            | -  |
|      | 33/11 kV 3 MVA copper wound power transformer, CRGO core  |            | set     |                                  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |   |                   | -                            | -  |
| 4    | 33/11 kV 1 MVA copper wound power transformer, CRGO core  |            | set     |                                  | -                         | -                        | -                | -              |                           |   |                   | -                            | -  |
|      |   |            |         |                                  |                           |                          |                  | -              |                           |   |                   | -                            | -  |
| A.2  | 36 kV System  |            |         |                                  |                           |                          |                  | -              |                           |   |                   | -                            | -  |
| 1    | 36 kV, 630 A, 25 kA Outdoor Type,<br>Vacuum Circuit Breaker with<br>Accessories all Complete                          |            | set     |                                  | 3.00                      | 3.00                     | 3.00             | 9.00           |                           |   |                   | -                            | -  |
|      | 36 kV, 630 A, 25 kA, isolator with earth switch including accessories all complete                                    |            | set     |                                  | 6.00                      | 6.00                     | 6.00             | 18.00          |                           |   |                   | -                            | -  |
| 3    | 36 kV, 40 A, Load Break Switch with accessories all complete  |            | set     |                                  | -                         | -                        | -                | -              |                           |   |                   | -                            | -  |
| 4    | 36 kV, 4 A, Load Break Switch with accessories all complete   |            | set     |                                  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |   |                   | -                            | -  |
| 5    | Two Core Potential Transformer for 33 kV including fuse with accessories all complete as specified                    |            | set     |                                  | 3.00                      | 3.00                     | 3.00             | 9.00           |                           |   |                   | -                            | -  |
| 6    | Three Core Current Transformer for 33 kV with accessories all complete as specified                                   |            | set     |                                  | 3.00                      | 3.00                     | 3.00             | 9.00           |                           |   |                   | -                            | -  |
| 7    | Two Core Bushing CT for 33/11 kV<br>Power Transformer with accessories<br>all complete as specified.                  |            | set     |                                  | -                         | -                        | -                | -              |                           |   |                   | -                            | -  |
| 8    | Two Core CT for neutral side of 33/11 kV Power Transformer with accessories all complete as specified.                |            | set     |                                  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |   |                   | -                            | -  |


| Name of Tenderer      |  |
|-----------------------|--|
|                       |  |
|                       |  |
| Signature of Tenderer |  |



### Nepal Electricity Authority Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

|      |   |            | Sched | dule No. 1: Plant and N          | nandatory Spare Par       | is Supplied from Abr     | oad (Excluding Custo | m Duty and VAT appi | cable in Employers        | Country)                 |                  | FC: USD                      | LC: NPR  |
|------|---|------------|-------|----------------------------------|---------------------------|--------------------------|----------------------|---------------------|---------------------------|--------------------------|------------------|------------------------------|--|
| Item | Description   | Country of | Unit  | Unit Rate, CIP<br>(Nepal Border) |                           | Quantity                 |                      | Total Quantity      | Unit Rate, Don            | nestic Transportation    |                  | Total, CIP (Nepal<br>Border) | Total, Domestic<br>Transportation and<br>Insurance |
|      | ·   | Origin     |       | Foreign Currency                 | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti     | -                   | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Foreign Currency             | Local Currency                                     |
| 1    | 2   | 3          | 4     | 5                                |                           | 6                        |                      | 7 = Σ6              |                           | 8                        |                  | 9 = 5 x 7                    | 10 = Σ(π(8 x 6))                                   |
|      |   |            |       |                                  | Α                         | В                        | С                    | 7 – 20              | Α                         | В                        | С                | 9-327                        | 10 - 2(11(0 x 0))                                  |
| 9    | 30 kV, 10 kA, lighting arrestor with accessories all complete   |            | set   |                                  | 4.00                      | 4.00                     | 4.00                 | 12.00               |                           |                          |                  | -                            | -  |
| 10   | 33kV Outdoor Busbar (IPS tube,<br>800A) with required insulators and<br>accessories as well as any cables<br>necessary in 33 kV side all complete |            | set   |                                  | 1.00                      | 1.00                     | 1.00                 | 3.00                |                           |                          |                  | -                            | -  |
| 11   | 33/11 kV Transformer Control and Protection Panel complete with all accessories as per specification  |            | set   |                                  | 1.00                      | 1.00                     | 1.00                 | 3.00                |                           |                          |                  | -                            | -  |
| 12   | 33 kV Protection Control and Relay<br>Panel complete with all accessories<br>as per specification for Line Bays                                   |            | set   |                                  | 2.00                      | 2.00                     | 2.00                 | 6.00                |                           |                          |                  | -                            | -  |
| 13   | Marshalling Kiosk Box with<br>Accessories all Complete (1 set refers<br>to complete set in a substation)  |            | set   |                                  | 1.00                      | 1.00                     | 1.00                 | 3.00                |                           |                          |                  | -                            | -  |
|      |   |            |       |                                  |                           |                          |                      | -                   |                           |                          |                  | -                            | -  |
| A.3  | 12 kV System  |            |       |                                  |                           |                          |                      | -                   |                           |                          |                  | -                            | -  |
| 1    | 12 kV Indoor VCB, with Control and<br>Relay Panel and CT / PT with<br>accessories all complete as specified                                       |            | set   |                                  | 5.00                      | 5.00                     | 5.00                 | 15.00               |                           |                          |                  | -                            | -  |
| _    | 12 kV, 25 kA, Indoor Earth Switch with accessories all complete as specified  |            | set   |                                  | 4.00                      | 4.00                     | 4.00                 | 12.00               |                           |                          |                  | -                            | -  |
| 3    | 9 kV, 10 kA, lighting arrestor with accessories all complete  |            | set   |                                  | 5.00                      | 5.00                     | 5.00                 | 15.00               |                           |                          |                  | -                            | -  |
|      | I .   | 1          |       | 1                                | 1                         | 1                        | 1                    |                     | 1                         | 1                        | 1                |                              | 1  |





#### Nepal Electricity Authority

#### Distribution and Consumer Services Directorate

### Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

| FC: USD | I C: NPR |
|---------|----------|

| Item | Description   | Country of Origin | Unit | Unit Rate, CIP<br>(Nepal Border) |                           | Quantity                 |                  | Total Quantity                          | Unit Rate, Dom            | nestic Transportation    | on and Insurance, | n and Insurance, Total, CIP (Nepal<br>Border) |   |
|------|---|-------------------|------|----------------------------------|---------------------------|--------------------------|------------------|---|---------------------------|--------------------------|-------------------|---|---|
|      |   | Origin            |      | Foreign Currency                 | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | , | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti  | Foreign Currency                              | Insurance<br>Local Currency             |
| 1    | 2   | 3                 | 4    | 5                                |                           | 6                        |                  | 7 = Σ6                                  |                           | 8                        |                   | 9 = 5 x 7                                     | 10 = Σ(π(8 x 6))                        |
|      |   |                   |      |                                  | Α                         | В                        | С                | -                                       | Α                         | В                        | С                 |   | ( ( ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' |
| A.4  | Station Supply System   |                   |      |                                  |                           |                          |                  | -                                       |                           |                          |                   | -   | -                                       |
| 1    | 33/0.4 kV 100 kVA station transformer   |                   | set  |                                  | 1.00                      | 1.00                     | 1.00             | 3.00                                    |                           |                          |                   | -   | -                                       |
| 2    | AC Distribution System Including Accessories all Complete as per specifications(1 set includes complete lot for substation including all buildings and constructions with necessary earthing works inside the substation) |                   | set  |                                  | 1.00                      | 1.00                     | 1.00             | 3.00                                    |                           |                          |                   | -   | -                                       |
| 3    | Portable Diesel Generator, 10 kVA,<br>400 V including grid interconnection<br>setup, relay, control units and<br>associated panels, as per<br>specifications  |                   | set  |                                  | 1.00                      | 1.00                     | 1.00             | 3.00                                    |                           |                          |                   | -   | -                                       |
|      | 700 1   |                   |      |                                  |                           |                          |                  | -                                       |                           |                          |                   | -   | -                                       |
|      | DC System 250 Ah, 110 V maintenance free  |                   |      |                                  |                           |                          |                  | -                                       |                           |                          |                   | -   | -                                       |
| 1    | batteries including complete accessories  |                   | set  |                                  | 1.00                      | 1.00                     | 1.00             | 3.00                                    |                           |                          |                   | -   | -                                       |
| 2    | Battery Charging unit (110 V) with accessories all complete   |                   | set  |                                  | 1.00                      | 1.00                     | 1.00             | 3.00                                    |                           |                          |                   | -   | -                                       |
| 3    | DC Distribution System including accessories all complete as per specifications(1 set includes complete lot for substation)   |                   | set  |                                  | 1.00                      | 1.00                     | 1.00             | 3.00                                    |                           |                          |                   | -   | -                                       |
|      |   |                   |      |                                  |                           |                          |                  | -                                       |                           |                          |                   | -   | -                                       |
|      | Cables  |                   |      |                                  |                           |                          |                  | -                                       |                           |                          |                   | -   | -                                       |
| I    | 11 kV XLPE Cable 3 Core 300 sq mm (Armoured)  |                   | m    |                                  | 25.00                     | 25.00                    | 25.00            | 75.00                                   |                           |                          |                   | -   | -                                       |
| _    | 11 kV XLPE Cable 3 Core 185 sq mm (Armoured)  |                   | m    |                                  | 100.00                    | 100.00                   | 100.00           | 300.00                                  |                           |                          |                   | -   | -                                       |
|      | 11 kV XLPE Cable 3 Core 120 sq mm (Armoured)  |                   | m    |                                  | -                         | -                        | -                | -                                       |                           |                          |                   | -   | -                                       |
| 4    | 11 kV 3-core heat shrinkable Indoor<br>Cable termination kit 185/300/120 sq<br>mm   |                   | set  |                                  | 5.00                      | 5.00                     | 5.00             | 15.00                                   |                           |                          |                   | -   | -                                       |
| 5    | 11 kV 3-core heat shrinkable outdoor Cable termination kit 185/120 sq mm  |                   | set  |                                  | 5.00                      | 5.00                     | 5.00             | 15.00                                   |                           |                          |                   | -   | -                                       |

| Name of Tenderer    |    |
|---------------------|----|
|                     |    |
|                     |    |
| Signature of Tender | er |



### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

FC: USD LC: NPR

| Item | Description   | escription   Country of Unit (Nepal Border) |     | Quantity         |                           | Total Quantity           | Unit Rate, Domestic Transportation and Insurance, Local Currency |        |                           | Total, CIP (Nepal<br>Border) | Insurance        |                  |                  |
|------|---|---|-----|------------------|---------------------------|--------------------------|--|--------|---------------------------|------------------------------|------------------|------------------|------------------|
|      |   | Origin                                      |     | Foreign Currency | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti   |        | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga     | Badimalika Kolti | Foreign Currency | Local Currency   |
| 1    | 2   | 3   | 4   | 5                |                           | 6                        |  | 7 = Σ6 |                           | 8                            |                  | 9 = 5 x 7        | 10 = Σ(π(8 x 6)) |
|      |   |   |     |                  | A                         | В                        | С  | , 20   | A                         | В                            | С                | J J J J          | 10 Z(II(0 X 0))  |
| 6    | Control cables including accessories complete (1 set includes source bay and destination bay together)(1 set includes complete lot for substation)  |   | set |                  | 1.00                      | 1.00                     | 1.00   | 3.00   |                           |                              |                  | -                | -                |
| 7    | 1.1 kV power and lighting cable, including DC circuitry for all works in the switchyard, outdoor lighting, beauty lighting all complete (1 set includes complete lot for substation)  |   | set |                  | 1.00                      | 1.00                     | 1.00   | 3.00   |                           |                              |                  | -                | -                |
|      | Automation and Control System - SCADA   |   |     |                  |                           |                          |  | -      |                           |                              |                  | -                | -                |
| 1    | SCADA/ Automation Integration, Numerical relay cum Bay controller with other indicative/measuring instruments. SCADA system shall communicate with C & R panels, Bay Control Units of 33 kV Feeder, 11kV switchgear panel, battery charger, ACDB etc along with necessary hardware & Software & fibre optic cable etc. all complete with necessary accessories adhering to the Technical Specifications and requirement for the substation.(1 set includes complete lot for substation) |   | set |                  | 1.00                      | 1.00                     | 1.00   | 3.00   |                           |                              |                  | -                | -                |
| 2    | Desktop, i9, 10th generation or equivalent with 512 GB SSD and 1 GB HDD, 24 " two screen,   |   | set |                  | 1.00                      | 1.00                     | 1.00   | 3.00   |                           |                              |                  | -                | -                |
| 3    | Laptop, with same configuration as desktop and 15 " screen  |   | set |                  | 1.00                      | 1.00                     | 1.00   | 3.00   |                           |                              |                  | -                | -                |
|      |   |   |     |                  |                           |                          |  | -      |                           |                              |                  | -                | -                |
|      | Grounding System  |   |     |                  |                           |                          |  | -      |                           |                              |                  | -                | -                |
| 1    | Switchyard Lightning Protection System, Earthing arrangement, Including protection for Control building and other structures inside the substation area as essential in the substation all complete(1 set includes complete lot for substation)   |   | set |                  | 1.00                      | 1.00                     | 1.00   | 3.00   |                           |                              |                  | -                | -                |
|      | Lightning Mast  |   | ton |                  | 0.07                      | 0.07                     | 0.07   | 0.21   |                           |                              |                  | -                | _                |



#### Nepal Electricity Authority

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

|          |  |            | Sched | lule No. 1: Plant and N          | Mandatory Spare Part      | s Supplied from Abro     | oad (Excluding Custo | m Duty and VAT appli | cable in Employer's       | Country)                 |                   | FC: USD                      | LC: NPR                                      |
|----------|--|------------|-------|----------------------------------|---------------------------|--------------------------|----------------------|----------------------|---------------------------|--------------------------|-------------------|------------------------------|--|
| Item     | Description  | Country of | Unit  | Unit Rate, CIP<br>(Nepal Border) |                           | Quantity                 |                      | Total Quantity       | Unit Rate, Dom            | estic Transportation     | on and Insurance, | Total, CIP (Nepal<br>Border) | Total, Domestic Transportation and Insurance |
|          |  | Origin     |       | Foreign Currency                 | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti     |                      | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti  | Foreign Currency             | Local Currency                               |
| 1        | 2  | 3          | 4     | 5                                |                           | 6                        |                      | 7 = Σ6               |                           | 8                        |                   | 9 = 5 x 7                    | 10 = Σ(π(8 x 6))                             |
|          | 2  | 3          | -     | 3                                | Α                         | В                        | С                    | 7 - 20               | Α                         | В                        | С                 | 9-5%/                        | 10 - 2(11(6 x 6))                            |
|          |  |            |       |                                  |                           |                          |                      | -                    |                           |                          |                   | -                            | -  |
| A.9      | Illumination System  |            |       |                                  |                           |                          |                      | -                    |                           |                          |                   | -                            | -  |
| 1        | Switchyard and Substation yard lighting with 36 W, IP 65 LED with at least 20 lux elsewhere and 200 lux at switchyard, as per site conditions all complete(1 set includes complete lot for substation) |            | set   |                                  | 1.00                      | 1.00                     | 1.00                 | 3.00                 |                           |                          |                   | -                            | -  |
|          | Tor capetation,  |            |       |                                  |                           |                          |                      |                      |                           |                          |                   | _                            | _  |
| A.10     | Outdoor Gantry and Support<br>Structures   |            |       |                                  |                           |                          |                      | -                    |                           |                          |                   | -                            | -  |
| 1        | Gantry Column, Support Structures,<br>Girder structures for 33/11 kV<br>substation, all complete as per<br>specifications for each sub-project   |            | ton   |                                  | 6.44                      | 6.44                     | 6.44                 | 19.32                |                           |                          |                   | -                            | -  |
| 2        | Chequered Plate for Cable Trench in Control Building of thickness as mentioned in Technical Specification with accessories all complete as for specifications  |            | ton   |                                  | 0.67                      | 0.67                     | 0.67                 | 2.00                 |                           |                          |                   | -                            | -  |
|          |  |            |       |                                  |                           |                          |                      | -                    |                           |                          |                   | -                            | -  |
| A.11     | 11 kV Overhead Line Feeder Components  |            |       |                                  |                           |                          |                      | -                    |                           |                          |                   | -                            | -  |
| 1        | 9 kV, 10 kA, Pole Mounted lighting arrestor with accessories all complete  |            | set   |                                  | 4.00                      | 4.00                     | 4.00                 | 12.00                |                           |                          |                   | -                            | -  |
| 2        | Pole Mounted Isolator, for 11 kV with accessories all complete   |            | set   |                                  | 4.00                      | 4.00                     | 4.00                 | 12.00                |                           |                          |                   | -                            | -  |
|          |  |            |       |                                  |                           |                          |                      | -                    |                           |                          |                   | -                            | -  |
|          | SPARE PARTS  |            |       |                                  |                           |                          |                      | -                    |                           |                          |                   | -                            | -  |
|          | For Transformers   |            |       |                                  |                           |                          |                      | -                    |                           |                          |                   | -                            | -  |
| <b>I</b> | 33 kV and 11 kV Bushing(one of each type)  |            | set   |                                  | 1.00                      | 1.00                     | 1.00                 | 3.00                 |                           |                          |                   | -                            | -  |
|          | Dial type Thermometers   |            | set   |                                  | 1.00                      | 1.00                     | 1.00                 | 3.00                 |                           |                          |                   | -                            | -  |
| 3        | Oil Level Gauges   |            | set   |                                  | 1.00                      | 1.00                     | 1.00                 | 3.00                 |                           |                          |                   | -                            | -  |
|          | Insulating Oil (10% of total supply)   |            | set   |                                  | 1.00                      | 1.00                     | 1.00                 | 3.00                 |                           |                          |                   | -                            | -  |
|          | Indicating Lamps (25% of used)   |            | set   |                                  | 1.00                      | 1.00                     | 1.00                 | 3.00                 |                           |                          |                   | -                            | -  |
|          | All types of Fuses (25% of used)   |            | set   |                                  | 1.00                      | 1.00                     | 1.00                 | 3.00                 |                           |                          | 1                 | -                            | -  |
|          | Complete set of Gaskets of each type   |            | set   |                                  | 1.00                      | 1.00                     | 1.00                 | 3.00                 |                           |                          |                   | -                            | -  |

| Ν | lame of | Tender | er |  |
|---|---------|--------|----|--|
|   |         |        |    |  |
|   |         |        |    |  |

Signature of Tenderer\_



4-A-10 Section 4: Tender Forms


#### Nepal Electricity Authority

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

|      |   |                   |      |   |                           |                          |                  |        |                           |                              |  | FC: USD          | LC: NPR           |
|------|---|-------------------|------|---|---------------------------|--------------------------|------------------|--------|---------------------------|------------------------------|--|------------------|-------------------|
| Item | Description   | Country of Origin | Unit | Unit Rate, CIP (Nepal Border)  Quantity  Total Quantity  Unit Rate, Domestic Transportation and Insurance, Local Currency |                           |                          |                  |        | on and Insurance,         | Total, CIP (Nepal<br>Border) | Total, Domestic<br>Transportation and<br>Insurance |                  |                   |
|      |   | Origin            |      | Foreign Currency  | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |        | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga     | Badimalika Kolti                                   | Foreign Currency | Local Currency    |
| 4    | 2   | ,                 | 4    | _   |                           | 6                        |                  | 7 = Σ6 |                           | 8                            |  | 9 = 5 x 7        | 10 = Σ(π(8 x 6))  |
| '    | 2   | 3                 | 4    | 5   | Α                         | В                        | С                | 7 - 20 | Α                         | В                            | С  | 9-5%7            | 10 = 2(11(8 x 6)) |
| 8    | Complete set of Pressure Relief Devices   |                   | set  |   | 1.00                      | 1.00                     | 1.00             | 3.00   |                           |                              |  | -                | -                 |
| 9    | All type of Auxiliary, Relays,<br>Contactors and Timers for control,<br>protection and cooling circuit(one of<br>each type) |                   | set  |   | 1.00                      | 1.00                     | 1.00             | 3.00   |                           |                              |  | -                | -                 |
| 10   | OLTC Motor Contactor  |                   | set  |   | 1.00                      | 1.00                     | 1.00             | 3.00   |                           |                              |  | -                | -                 |
| 11   | Complete set of Buchholz relay  |                   | set  |   | 1.00                      | 1.00                     | 1.00             | 3.00   |                           |                              |  | -                | -                 |
| 12   | OLTC motor  |                   | set  |   | 1.00                      | 1.00                     | 1.00             | 3.00   |                           |                              |  | -                | -                 |
| 13   | Motors for mechanism of each type   |                   | set  |   | 1.00                      | 1.00                     | 1.00             | 3.00   |                           |                              |  | -                | -                 |





### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

FC: USD LC: NPR

| Item     | Description  | Origin |     | Total Quantity   |                           | estic Transportation     |                  | Total, CIP (Nepal<br>Border) | Insurance  |  |  |                  |                   |
|----------|--|--------|-----|------------------|---------------------------|--------------------------|------------------|------------------------------|--|--|--|------------------|-------------------|
|          |  | Origin |     | Foreign Currency | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                              | Sigas Surnaiya<br>(Musya)                        | Budhiganga<br>Budhiganga                         | Badimalika Kolti                                 | Foreign Currency | Local Currency    |
| 1        | 2  | 3      | 4   | 5                |                           | 6                        |                  | 7 = Σ6                       |  | 8  |  | 9 = 5 x 7        | 10 = Σ(π(8 x 6))  |
| '        |  | "      | "   |                  | Α                         | В                        | С                | 7 - 20                       | Α  | В  | С  | 9-5%             | 10 - 2(11(8 x 6)) |
|          |  |        |     |                  |                           |                          |                  | -                            |  |  |  | -                | -                 |
| A.12.2   | For 33 kV Circuit Breaker                              |        |     |                  |                           |                          |                  | -                            |  |  |  | -                | -                 |
| 1        | Tripping Coils   |        | set |                  | 3.00                      | 3.00                     | 3.00             | 9.00                         |  |  |  | -                | -                 |
| 2        | Closing Coils  |        | set |                  | 3.00                      | 3.00                     | 3.00             | 9.00                         |  |  |  | -                | - 1               |
|          | Relays and Contactors (One of each                     |        |     |                  | 4.00                      | 4.00                     | 4.00             | 0.00                         |  |  |  |                  |                   |
| 3        | type) `  |        | set |                  | 1.00                      | 1.00                     | 1.00             | 3.00                         |  |  |  | -                | -                 |
| 4        | Motors for Mechanism                                   |        | set |                  | 3.00                      | 3.00                     | 3.00             | 9.00                         |  |  |  | -                | -                 |
|          | Interrupter for VCB                                    |        | set |                  | 3.00                      | 3.00                     | 3.00             | 9.00                         |  |  |  | -                | -                 |
|          |  |        | 1   |                  | 3.00                      | 3.00                     | 3.30             | -                            |  |  | 1  | _                | -                 |
| A.12.3   | For 33 kV Disconnecting Switch                         |        |     |                  |                           |                          |                  | -                            |  |  |  | -                | -                 |
|          | Porcelain insulator                                    |        | set |                  | 6.00                      | 6.00                     | 6.00             | 18.00                        |  |  |  | -                | -                 |
| <u>'</u> | Main contact assemblies including                      |        |     |                  |                           |                          |                  |                              |  | <u> </u>   | <del>                                     </del> |                  |                   |
| 2        | grounding blades                                       |        | set |                  | 6.00                      | 6.00                     | 6.00             | 18.00                        |  |  |  | -                | -                 |
| 3        | Auxilliary contacts                                    |        | set |                  | 6.00                      | 6.00                     | 6.00             | 18.00                        |  |  |  | _                | -                 |
|          | Interlocking Coil                                      |        | set |                  | 6.00                      | 6.00                     | 6.00             | 18.00                        |  |  |  | _                | -                 |
|          | Interiocking con                                       |        | 301 |                  | 0.00                      | 0.00                     | 0.00             | -                            | 1  |  |  | _                | _                 |
|          |  |        |     |                  |                           |                          |                  | -                            |  |  |  | <u>-</u>         | -                 |
| A.12.4   | For 33 kV Instrument Transformers                      |        |     |                  |                           |                          |                  | -                            |  |  |  | -                | -                 |
|          | Two Core Potential Transformer for                     |        |     |                  |                           |                          |                  |                              |  |  |  |                  |                   |
| _        | 33 kV including fuse with accessories                  |        | 4   |                  | 4.00                      | 4.00                     | 4.00             | 2.00                         |  |  |  |                  |                   |
| 1        | all complete as specified (1 Set = 3                   |        | set |                  | 1.00                      | 1.00                     | 1.00             | 3.00                         |  |  |  | -                | -                 |
|          | Phase)   |        |     |                  |                           |                          |                  |                              |  |  |  |                  |                   |
|          | Three Core Current Transformer for                     |        |     |                  |                           |                          |                  |                              |  |  |  |                  |                   |
| 2        | 33 kV with accessories all complete                    |        | set |                  | 1.00                      | 1.00                     | 1.00             | 3.00                         |  |  |  | _                | _                 |
| _        | as specified (1 Set = 3 Phase)                         |        |     |                  |                           |                          |                  | 0.00                         |  |  |  |                  |                   |
|          | ac speciment (1 det de 1 mace)                         |        |     |                  |                           |                          |                  | _                            |  |  |  | _                | -                 |
| A.12.5   | Lightning Arrestor                                     |        |     |                  |                           |                          |                  | -                            |  |  |  | _                | -                 |
|          | 30 kV Lightning Arrestor (1 Set = 3                    |        |     |                  |                           |                          |                  |                              |  |  |  |                  |                   |
| 1        | Phase)   |        | set |                  | 1.00                      | 1.00                     | 1.00             | 3.00                         |  |  |  | -                | -                 |
|          | 9 kV Lightning Arrestor (1 Set = 3                     |        |     |                  | <u> </u>                  |                          |                  |                              |  |  | +  | <u> </u>         |                   |
| 2        | Phase)   |        | set |                  | 1.00                      | 1.00                     | 1.00             | 3.00                         |  |  |  | -                | -                 |
|          | Hase)  |        |     |                  | <u> </u>                  |                          |                  | -                            |  |  |  | _                | -                 |
| A.12.6   | For 33 kV Control & Relay panel                        |        |     |                  |                           |                          |                  | -                            |  |  |  | -                | -                 |
|          | Indicating Lamps (50% of used)                         |        | set |                  | 1.00                      | 1.00                     | 1.00             | 3.00                         |  |  |  | -                | -                 |
|          | Fuses of each type(50% of used)                        |        | set |                  | 1.00                      |                          | 1.00             | 3.00                         | <del>                                     </del> | <del>                                     </del> | +  | <u>-</u>         | -                 |
|          | Color Caps of each color for indicating                |        | 351 |                  | 1.00                      | 1.00                     |                  |                              | <del>                                     </del> | -  | +  |                  |                   |
| 3        | lamps (30% of used)                                    |        | set |                  | 1.00                      | 1.00                     | 1.00             | 3.00                         |  |  |  | -                | -                 |
|          | One of each type of Switch Times and                   |        | -   | -                |                           | -                        |                  |                              |  | -  | +  |                  |                   |
| 4        | One of each type of Switch, Timer and                  |        | set |                  | 1.00                      | 1.00                     | 1.00             | 3.00                         |  |  |  | _                | -                 |
|          | other special devices                                  | -      | -   | -                | <u> </u>                  | -                        |                  |                              | -  | -  | +  | <u> </u>         |                   |
| 5        | 3 Phase Over Current Relays with<br>Earthfault Inbuilt |        | set |                  | 1.00                      | 1.00                     | 1.00             | 3.00                         |  |  |  | _                | -                 |
|          | Earthfauit Induilt                                     |        |     |                  |                           |                          |                  |                              |  |  |  |                  |                   |

| Name of Tenderer      |  |
|-----------------------|--|
|                       |  |
| Signature of Tenderer |  |



4-A-12 Section 4: Tender Forms


#### Nepal Electricity Authority

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

|        |   |                      | 001100 | alo no. Il mane and n            | landatory oparo r ar      | о саррява пот лых        | ad (Exoluting Subto | in Duty and VAT appir                             | cable in Employer c       | Country)                 |  | FC: USD          | LC: NPR  |
|--------|---|----------------------|--------|----------------------------------|---------------------------|--------------------------|---------------------|---|---------------------------|--------------------------|--|------------------|--|
| Item   | Description   | Country of<br>Origin | Unit   | Unit Rate, CIP<br>(Nepal Border) | (Nonel Border) Quantity   |                          |                     | Unit Rate, Domestic Transportation Local Currency |                           |                          | on and Insurance, Total, CIP (Nepal<br>Border) |                  | Total, Domestic<br>Transportation and<br>Insurance |
|        |   | Origin               |        | Foreign Currency                 | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti    |   | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti                               | Foreign Currency | Local Currency                                     |
| 1      | 2   | 3                    | 4      | 5                                |                           | 6                        |                     | 7 = Σ6  |                           | 8                        |  | 9 = 5 x 7        | 10 = Σ(π(8 x 6))                                   |
|        |   |                      |        |                                  | A                         | В                        | С                   | , 20  | Α                         | В                        | С  | 0 0 % 7          | 10 Z(II(0 X 0))                                    |
| 6      | 3 Phase Transformer Differential Relays                     |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
|        | Each type of Auxiliary Relay                                |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
|        | Ammeter   |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
| 9      | Voltmeter   |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
|        |   |                      |        |                                  |                           |                          |                     | -   |                           |                          |  | -                | -  |
| A.12.7 | Communication/SCADA   |                      |        |                                  |                           |                          |                     | -   |                           |                          |  | -                | -  |
| 1      | Input Output Cards/Attribute Cards, (50% of used)           |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
|        |   |                      |        |                                  |                           |                          |                     | -   |                           |                          |  | -                | -  |
|        | 110 V Battery Charger                                       |                      |        |                                  |                           |                          |                     | -   |                           |                          |  | -                | -  |
|        | Fuses of each type(50% of used)                             |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
| 2      | Indicating Lamp (50% of used)                               |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
|        | One of each type of Switch, Timer and other special devices |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
|        | Ammeter   |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
| 5      | Voltmeter   |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
|        |   |                      |        |                                  |                           |                          |                     | -   |                           |                          |  | -                | -  |
|        | For 11 kV Circuit Breakers                                  |                      |        |                                  |                           |                          |                     | -   |                           |                          |  | -                | -  |
| 1      | Complete set of replacable vacuum chambers                  |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
|        | Set of Tripping, closing and auxilliary coils               |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
| 3      | Over current/Earth fault relay                              |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
|        | 12 kV Current Transformer                                   |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
| 6      | 12 kV Potential Transformer                                 |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
|        | Spring Charge Motor   |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |
| 8      | VCB Breaker Trollery  |                      | set    |                                  | 1.00                      | 1.00                     | 1.00                | 3.00  |                           |                          |  | -                | -  |





### Nepal Electricity Authority Distribution and Consumer Services Directorate

### Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

FC: USD LC: NPR

| Item | Description  | Country of | Unit | Unit Rate, CIP<br>(Nepal Border) |                           | Quantity Sigas Surnaiya Budhiganga Badin |      | Total Quantity | Unit Rate, Dom            | estic Transportation     |                  | Total, CIP (Nepal<br>Border) | Insurance        |
|------|--|------------|------|----------------------------------|---------------------------|--|------|----------------|---------------------------|--------------------------|------------------|------------------------------|------------------|
|      | ·  | Origin     |      | Foreign Currency                 | Sigas Surnaiya<br>(Musya) |  |      |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Foreign Currency             | Local Currency   |
| 1    | 2  | 3          | 4    | 5                                | Α                         | 6<br>B                                   | С    | 7 = Σ6         | Α                         | 8<br>B                   | С                | 9 = 5 x 7                    | 10 = Σ(π(8 x 6)) |
| В.   | 33 kV FEEDER / TAP OFF<br>STRUCTURE  |            |      |                                  | A                         | В  | C    | -              |                           | В                        |                  | -                            | -                |
| B.1  | Interconnection System   |            |      |                                  |                           |  |      | -              |                           |                          |                  | -                            | -                |
|      | 36 kV, 630 A, 25 kA Outdoor Type, Vacuum Circuit Breaker with Accessories all Complete   |            | set  |                                  | -                         | -  | 1.00 | 1.00           |                           |                          |                  | -                            | -                |
|      | 36 kV, 630 A, 25 kA, isolator with earth switch including accessories all complete   |            | set  |                                  | -                         | -  | 2.00 | 2.00           |                           |                          |                  | -                            | -                |
|      | 36 kV, 400 A/300 A Load Break<br>Switch with accessories all complete  |            | set  |                                  | -                         | -  | -    | -              |                           |                          |                  | -                            | -                |
| 4    | 30 kV, 10 kA, lighting arrestor with accessories all complete  |            | set  |                                  | 1.00                      | 1.00                                     | 1.00 | 3.00           |                           |                          |                  | -                            | -                |
| 5    | Three Core Current Transformer for 33 kV with accessories all complete as specified  |            | set  |                                  | 1.00                      | 1.00                                     | 1.00 | 3.00           |                           |                          |                  | -                            | -                |
| 6    | Two Core Potential Transformer for 33 kV including fuse with accessories all complete as specified                                     |            | set  |                                  | 1.00                      | 1.00                                     | 1.00 | 3.00           |                           |                          |                  | -                            | -                |
| 7    | Miscellaneous fitting accessories, ACSR Conductors and all accessories required for the tapping and bay extension work                 |            | set  |                                  | 1.00                      | 1.00                                     | 1.00 | 3.00           |                           |                          |                  | -                            | -                |
| 8    | Marshalling Kiosk Box with  Accessories all Complete for placement at tapping point  |            | set  |                                  | -                         | -  | 1.00 | 1.00           |                           |                          |                  | -                            | -                |
| B.2  | Structures, insulators and busbars - For Bay   | -          |      |                                  |                           |  |      | -              |                           |                          |                  | -                            | -                |
| 1    | 33 kV pin insulators with supporting structures all complete   |            | set  |                                  | -                         | -  | -    | -              |                           |                          |                  | -                            | -                |
|      | Gantry Column, Girder structures for 33/11 kV substation, all complete as per specifications for each sub-project                      |            | ton  |                                  | -                         | -  | 0.65 | 0.65           |                           |                          |                  | -                            | -                |
| 3    | 33 kV outdoor bus bars (IPS tube,<br>800A) with all required insulators and<br>complete accessories for bay<br>extention, all complete |            | set  |                                  | -                         | -  | 1.00 | 1.00           |                           |                          |                  | -                            | -                |

| Name of Tenderer      |  |
|-----------------------|--|
|                       |  |
|                       |  |
| Signature of Tenderer |  |



4-A-14 Section 4: Tender Forms


#### Nepal Electricity Authority

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

|      |                                   |                   |        |                  | , ,                              | 1.1                      | \                | , , , , , , , , , | 1 ,                                 | - 1/                     |  |                  |                              |  |
|------|-----------------------------------|-------------------|--------|------------------|----------------------------------|--------------------------|------------------|-------------------|-------------------------------------|--------------------------|--|------------------|------------------------------|--|
|      |                                   |                   |        |                  |                                  |                          |                  |                   |                                     |                          |  | FC: USD          | LC: NPR                      |  |
| Item | Description                       | Country of Origin | f Unit | Unit             | Unit Rate, CIP<br>(Nepal Border) |                          | Quantity         |                   | Unit Rate, Domestic  Total Quantity |                          | nestic Transportatio<br>Local Currency | n and Insurance, | Total, CIP (Nepal<br>Border) | Total, Domestic<br>Transportation and<br>Insurance |
|      |                                   | Origin            |        | Foreign Currency | Sigas Surnaiya<br>(Musya)        | Budhiganga<br>Budhiganga | Badimalika Kolti |                   | Sigas Surnaiya<br>(Musya)           | Budhiganga<br>Budhiganga | Badimalika Kolti                       | Foreign Currency | Local Currency               |  |
| 4    | 2                                 | ,                 | 4      | _                |                                  | 6                        |                  | 7 = Σ6            | 8                                   |                          |  | 9 = 5 x 7        | 10 = Σ(π(8 x 6))             |  |
| '    | 2                                 | '                 | 4      | 3                | Α                                | В                        | С                | 7 - 20            | Α                                   | В                        | С                                      | 9-5%7            | 10 - 2(11(8 x 6))            |  |
|      | 36W, IP 65 Outdoor light for      |                   |        |                  |                                  |                          |                  |                   |                                     |                          |  |                  |                              |  |
|      | 4 installation at Tap off         |                   | set    |                  | 1.00                             | 1.00                     | 1.00             | 3.00              |                                     |                          |  | -                | -                            |  |
|      | Point/Switchyard/LILO point       |                   |        |                  |                                  |                          |                  |                   |                                     |                          |  |                  |                              |  |
| B.3  | Spare Parts                       |                   |        |                  |                                  |                          |                  | -                 |                                     |                          |  | -                | -                            |  |
|      | Load Break Switch                 |                   |        |                  |                                  |                          |                  | -                 |                                     |                          |  | -                | -                            |  |
|      | Complete Set of Load Break Switch |                   | set    |                  |                                  |                          |                  |                   |                                     |                          |  |                  |                              |  |
|      | used with Storage Compartment     |                   | SEL    |                  | _                                | -                        | _                | -                 |                                     |                          |  | _                | -                            |  |





#### Nepal Electricity Authority

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

|       |   |  |         |                                  | ,                         | FF                       | (=               | ili buty and VAT appli |  | ,,   |                   | FC: USD                      | LC: NPR  |
|-------|---|--|---------|----------------------------------|---------------------------|--------------------------|------------------|------------------------|--|--|-------------------|------------------------------|--|
| Item  | Description   | Country of                                       | Unit    | Unit Rate, CIP<br>(Nepal Border) |                           | Quantity                 |                  | Total Quantity         | Unit Rate, Don                                   | nestic Transportation                            | on and Insurance, | Total, CIP (Nepal<br>Border) | Total, Domestic<br>Transportation and<br>Insurance |
|       |   | Origin   |         | Foreign Currency                 | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                        | Sigas Surnaiya<br>(Musya)                        | Budhiganga<br>Budhiganga                         | Badimalika Kolti  | Foreign Currency             | Local Currency                                     |
| 1     | 2   | 3  | 4       | 5                                |                           | 6                        |                  | 7 = Σ6                 |  | 8  |                   | 9 = 5 x 7                    | 10 = Σ(π(8 x 6))                                   |
|       |   |  |         |                                  | A                         | В                        | С                | , 20                   | Α  | В  | С                 | U UXI                        | 10 Z(II(0 X 0))                                    |
|       | 33 kV Line  |  |         |                                  |                           |                          |                  | -                      |  |  |                   | -                            | -  |
| C.1   | Conductors  |  |         |                                  |                           |                          |                  | -                      |  |  |                   | -                            | -  |
| 1     | Overhead ACSR WOLF Conductor,   |  | kms.    |                                  | _                         | _                        | _                | _                      |  |  |                   | _                            | <u> </u>   |
| '     | 150 sq mm. with 5% Sag  |  | IXIIIO. |                                  |                           |                          |                  |                        |  |  |                   |                              |  |
| 2     | Overhead ACSR DOG Conductor,  |  | kms.    |                                  | 1.15                      | 0.23                     | 84.36            | 85.75                  |  |  |                   | _                            | _  |
|       | 100 sq mm. with 5% Sag  |  | KIIIO.  |                                  | 1.10                      | 0.20                     | 04.00            | 00.10                  |  |  |                   |                              |  |
|       | ADSS Cable with 5% sag,approach                                       |  |         |                                  |                           |                          |                  |                        |  |  |                   |                              |  |
|       | cable and support structure (Clamp,                                   |  |         |                                  |                           |                          |                  |                        |  |  |                   |                              |  |
|       | nut bolts, shackle insulators all) all                                |  |         |                                  |                           |                          |                  |                        |  |  |                   |                              |  |
| 3     | complete as per specifications for                                    |  | kms.    |                                  | 0.19                      | 0.04                     | 28.12            | 28.35                  |  |  |                   | -                            | -  |
|       | SCADA of Tapping Point to   |  |         |                                  |                           |                          |                  |                        |  |  |                   |                              |  |
|       | Substation and facility for data transfer                             |  |         |                                  |                           |                          |                  |                        |  |  |                   |                              |  |
|       | to other substation in future   |  |         |                                  |                           |                          |                  |                        |  |  |                   |                              |  |
| 4     | Mid-Span Joining Sleeve (Covered                                      |  |         |                                  | 1.00                      | 1.00                     | F7.00            | 50.00                  |  |  |                   |                              |  |
| 4     | Conductor. rated min 500A)  |  | nos.    |                                  | 1.00                      | 1.00                     | 57.00            | 59.00                  |  |  |                   | -                            | -  |
|       |   |  |         |                                  |                           |                          |                  | -                      |  |  |                   | -                            | -  |
| C.2   | Poles and accessories   |  |         |                                  |                           |                          |                  | -                      |  |  |                   | -                            | -  |
| 0.04  | Single Circuit Structure and  |  |         |                                  |                           |                          |                  |                        |  |  |                   |                              |  |
| C.2.1 | Accessories   |  |         |                                  |                           |                          |                  | -                      |  |  |                   | -                            | -  |
| 1     | 11 M Steel Tubular Pole   |  | nos.    |                                  | -                         | -                        | 641.00           | 641.00                 |  |  |                   | -                            | -  |
| 2     | Back Strap  |  | nos.    |                                  | -                         | -                        | 888.00           | 888.00                 |  |  |                   | -                            | -  |
|       | Bolts with suitable nuts and washers                                  |  |         |                                  |                           |                          |                  |                        |  |  |                   |                              |  |
| 3     | (M16 x 100 mm)  |  | nos.    |                                  | -                         | -                        | 3,542.00         | 3,542.00               |  |  |                   | -                            | -  |
|       | Bolts with suitable nuts and washers                                  |  |         |                                  |                           |                          | 212.22           | - /                    |  |  |                   |                              |  |
| 4     | (M16 x 235 mm)  |  | nos.    |                                  | -                         | -                        | 212.00           | 212.00                 |  |  |                   | -                            | -  |
|       | Bolts with suitable nuts and washers                                  |  |         |                                  |                           |                          |                  |                        | <u> </u>   | 1  |                   |                              |  |
| 5     | (M16 x 50 mm)   |  | nos.    |                                  | -                         | -                        | 1,174.00         | 1,174.00               |  |  |                   | -                            | -  |
|       | Disc Type Insulator, set of three for 33                              |  |         |                                  |                           |                          |                  |                        | <u> </u>   |  |                   |                              |  |
| 6     | kV  |  | nos.    |                                  | -                         | -                        | 888.00           | 888.00                 |  |  |                   | -                            | -  |
|       | Flat Crossarm Brace 33 kV (50 x 6 x                                   |  |         |                                  |                           |                          |                  |                        |  | <del>                                     </del> |                   |                              |  |
| 7     | 666 mm)   |  | nos.    |                                  | -                         | -                        | 962.00           | 962.00                 |  |  |                   | -                            | -  |
|       | i i   |  |         |                                  |                           |                          |                  |                        |  | +  |                   |                              |  |
| 8     | Insulator Pin for Pin Insulator of 33 kV                              |  | nos.    |                                  | -                         | -                        | 1,683.00         | 1,683.00               |  |  |                   | -                            | -  |
| 0     | PG Clamp for ACSR DOG/WOLF  |  | nos.    |                                  | _                         | _                        | 444.00           | 444.00                 | <del>                                     </del> | +  |                   | _                            | _  |
|       | Pin Type Insulator for 33 kV  |  | nos.    | 1                                | -                         | -                        | 1,683.00         | 1,683.00               |  | +  |                   | <u> </u>                     |  |
|       | Pole Clamp with Nut, bolt and   | <del>                                     </del> | 1103.   | <del> </del>                     | <del>-</del>              | <del>-</del>             | 1,003.00         | 1,005.00               | <del>                                     </del> | +  | <del> </del>      | -                            |  |
|       |   |  |         |                                  |                           |                          |                  |                        |  |  |                   |                              |  |
| 11    | washers (TC1) with channel and support structures all complete as per |  | nos.    |                                  | -                         | -                        | 809.00           | 809.00                 |  |  |                   | -                            | -  |
|       |   |  |         |                                  |                           |                          |                  |                        |  |  |                   |                              |  |
|       | design and drawings   |  |         | 1                                |                           |                          |                  |                        |  |  |                   |                              |  |



4-A-16 Section 4: Tender Forms

#### Nepal Electricity Authority

### Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

FC: USD LC: NPR

| Item | Description   | Country of Origin | Unit   | Unit Rate, CIP<br>(Nepal Border) |  | Quantity                 |                  | Total Quantity | Unit Rate, Don                                   | estic Transportati<br>Local Currency |                  | Total, CIP (Nepal<br>Border) | Total, Domestic<br>Transportation and<br>Insurance |
|------|---|-------------------|--|----------------------------------|--|--------------------------|------------------|----------------|--|--------------------------------------|------------------|------------------------------|--|
|      |   | Origin            |  | Foreign Currency                 | Sigas Surnaiya<br>(Musya)                        | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya)                        | Budhiganga<br>Budhiganga             | Badimalika Kolti | Foreign Currency             | Local Currency                                     |
| 1    | 2   | 3                 | 4  | 5                                |  | 6                        |                  | 7 = Σ6         |  | 8                                    |                  | 9 = 5 x 7                    | $10 = \Sigma(\pi(8 \times 6))$                     |
| '    | 2   | "                 | "  |                                  | Α  | В                        | С                | 7 - 20         | Α  | В                                    | С                | 9-5%/                        | 10 - 2(11(8 x 6))                                  |
|      | Pole Clamp with Nut, bolt and                           |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 1.   | washers (TC2) with channel and                          |                   | noo  |                                  |  |                          | 962.00           | 962.00         |  |                                      |                  |                              |  |
| 12   | support structures all complete as per                  |                   | nos.   |                                  | -  | -                        | 902.00           | 902.00         |  |                                      |                  | -                            | -  |
|      | design and drawings                                     |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
|      | Pole Clamp with Nut, bolt and                           |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 1 40 | washers, Bottom Bracing (TC5) with                      |                   |  |                                  |  |                          | 04.00            | 04.00          |  |                                      |                  |                              |  |
| 13   | channel and support structures all                      |                   | nos.   |                                  | -  | -                        | 84.00            | 84.00          |  |                                      |                  | -                            | -  |
|      | complete as per design and drawings                     |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
|      | Pole Clamp with Nut, bolt and                           |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
|      | washers, Top Bracing (TC4) with                         |                   | ١.   |                                  |  |                          | 0.4.00           | 04.00          |  |                                      |                  |                              |  |
| 14   | channel and support structures all                      |                   | set  |                                  | -  | -                        | 84.00            | 84.00          |  |                                      |                  | -                            | -  |
|      | complete as per design and drawings                     |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 15   | Preformed Pin Ties, Top Ties                            |                   | set  |                                  | -  | -                        | 1,683.00         | 1,683.00       |  |                                      |                  | -                            | -  |
|      |   |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 16   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1800 mm) |                   | nos.   |                                  | -  | -                        | 106.00           | 106.00         |  |                                      |                  | -                            | -  |
|      | Steel Crossarm Channel (100 x 50 x                      |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 17   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1900 mm) |                   | set  |                                  | -  | -                        | 375.00           | 375.00         |  |                                      |                  | -                            | -  |
|      | Steel Crossarm Channel (100 x 50 x                      |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 18   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2416 mm) |                   | nos.   |                                  | -  | -                        | 42.00            | 42.00          |  |                                      |                  | -                            | -  |
|      | Steel Crossarm Channel (100 x 50 x                      |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 19   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2919 mm) |                   | nos.   |                                  | -  | -                        | 84.00            | 84.00          |  |                                      |                  | -                            | -  |
|      | Steel Crossarm Channel (100 x 50 x                      |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 20   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 3300 mm) |                   | nos.   |                                  | -  | -                        | 80.00            | 80.00          |  |                                      |                  | -                            | -  |
|      | Strap for Insulator String for 33 kV                    |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 21   | Strap for Insulator String for 33 kV (100 x 5 x 350 mm) |                   | nos.   |                                  | -  | -                        | 126.00           | 126.00         |  |                                      |                  | -                            | -  |
|      |   |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 22   | Tension Set with Ball and Socket Eye                    |                   | nos.   |                                  | -  | -                        | 888.00           | 888.00         |  |                                      |                  | -                            | -  |
|      | Double Circuit Structure and                            |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| C.2  | Accessories   |                   |  |                                  |  |                          |                  | -              |  |                                      |                  | -                            | -  |
| 1    | 13 m Steel Tubular Pole                                 |                   | nos.   |                                  | 10.00  | 6.00                     | -                | 16.00          |  |                                      |                  | -                            | _  |
|      | Back Strap  |                   | nos.   |                                  | 72.00  | 36.00                    | _                | 108.00         |  |                                      |                  | _                            | _  |
|      | Bolts with suitable nuts and washers                    |                   | 1100.  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 3    | (M16 x 100 mm)  |                   | nos.   |                                  | 104.00   | 60.00                    | -                | 164.00         |  |                                      |                  | -                            | -  |
|      | Bolts with suitable nuts and washers                    |                   |  |                                  |  |                          |                  |                |  |                                      |                  |                              |  |
| 4    | (M16 x 235 mm)  |                   | nos.   |                                  | 12.00  | -                        | -                | 12.00          |  |                                      |                  | -                            | -  |
|      | Rolts with suitable nuts and washers                    |                   | <del> </del>                                     |                                  | +  | 1                        |                  |                | <del>                                     </del> | 1                                    |                  |                              | 1  |
| 5    | Bolts with suitable nuts and washers (M16 x 50 mm)      |                   | nos.   |                                  | 18.00  | -                        | -                | 18.00          |  |                                      |                  | -                            | -  |
|      | Disc Type Insulator set of three for 22                 |                   | <del>                                     </del> |                                  | <del>                                     </del> | 1                        |                  |                | <del>                                     </del> |                                      | +                |                              |  |
| 6    | Disc Type Insulator, set of three for 33 kV             |                   | nos.   |                                  | 72.00  | 36.00                    | -                | 108.00         |  |                                      |                  | -                            | -  |
|      | Flot Crossorm Proce 22 W/ /50 v 6 v                     |                   | -  |                                  | -  |                          |                  |                |  | -                                    | +                |                              | -  |
| 7    | Flat Crossarm Brace 33 kV (50 x 6 x 666 mm)             |                   | nos.   |                                  | 12.00  | _                        | -                | 12.00          |  |                                      |                  | -                            | -  |
|      | 000 11111)  |                   |  |                                  |  | <u> </u>                 |                  |                |  |                                      |                  |                              |  |



### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

FC: USD LC: NPR

| Item | Description   | Country of | Unit | Unit Rate, CIP<br>(Nepal Border) |                           | Quantity                 |                  | Total Quantity | Unit Rate, Dom            | estic Transportation     |                  | Total, CIP (Nepal<br>Border) | Total, Domestic<br>Transportation and<br>Insurance |
|------|---|------------|------|----------------------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|------------------------------|--|
|      |   | Origin     |      | Foreign Currency                 | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Foreign Currency             | Local Currency                                     |
| 1    | 2   | 3          | 4    | 5                                |                           | 6                        |                  | 7 = Σ6         |                           | 8                        |                  | 9 = 5 x 7                    | $10 = \Sigma(\pi(8 \times 6))$                     |
| •    | 2   |            |      |                                  | Α                         | В                        | С                | 7 - 20         | Α                         | В                        | С                | 9-327                        | 10 - 2(11(0 x 0))                                  |
| 8    | Insulator Pin for Pin Insulator of 33 kV  |            | set  |                                  | 36.00                     | 18.00                    | -                | 54.00          |                           |                          |                  | -                            | -  |
| 9    | PG Clamp for ACSR DOG/WOLF  |            | set  |                                  | 36.00                     | 18.00                    | -                | 54.00          |                           |                          |                  | -                            | -  |
| 10   | Pin Type Insulator for 33 kV  |            | nos. |                                  | 36.00                     | 18.00                    | -                | 54.00          |                           |                          |                  | -                            | -  |
| 11   | Pole Clamp with Nut, bolt and washers (TC1) with channel and support structures all complete as per design and drawings                                 |            | set  |                                  | 30.00                     | 18.00                    | -                | 48.00          |                           |                          |                  | -                            | -  |
| 12   | Pole Clamp with Nut, bolt and washers (TC2) with channel and support structures all complete as per design and drawings                                 |            | nos. |                                  | 6.00                      | -                        | -                | 6.00           |                           |                          |                  | -                            | -  |
| 13   | Pole Clamp with Nut, bolt and washers, Bottom Bracing (TC5) with channel and support structures all complete as per design and drawings                 |            | nos. |                                  | 8.00                      | 6.00                     | -                | 14.00          |                           |                          |                  | -                            | -  |
| 14   | Pole Clamp with Nut, bolt and washers, Top Bracing (TC4) with channel and support structures all complete as per design and drawings                    |            | nos. |                                  | 8.00                      | 6.00                     | -                | 14.00          |                           |                          |                  | -                            | -  |
| 15   | Preformed Pin Ties, Top Ties  |            | nos. |                                  | 36.00                     | 18.00                    | -                | 54.00          |                           |                          |                  | -                            | -  |
| 16   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1600 mm)   |            | nos. |                                  | 4.00                      | 3.00                     | -                | 7.00           |                           |                          |                  | -                            | -  |
| 17   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1640 mm)   |            | nos. |                                  | 4.00                      | 3.00                     | -                | 7.00           |                           |                          |                  | -                            | -  |
| 18   | Steel Crossarm Channel (100 x 50 x  |            | nos. |                                  | 36.00                     | 18.00                    | -                | 54.00          |                           |                          |                  | -                            | -  |
| 19   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2500 mm)   |            | nos. |                                  | -                         | -                        | -                | -              |                           |                          |                  | -                            | -  |
| 20   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2610 mm)   |            | nos. |                                  | 8.00                      | 6.00                     | -                | 14.00          |                           |                          |                  | -                            | -  |
| 21   | Strap for Insulator String for 33 kV (100 x 5 x 350 mm)   |            | nos. |                                  | 24.00                     | 18.00                    | -                | 42.00          |                           |                          |                  | -                            | -  |
| 22   | Tension Set with Ball and Socket Eye  |            | nos. |                                  | 72.00                     | 36.00                    | -                | 108.00         |                           |                          |                  | -                            | -  |
| C.2  | Stay Set  |            |      |                                  |                           |                          |                  | -              |                           |                          |                  | -                            | -  |
| 1    | Pole Clamp with Nut, bolt and washers (TC3) use for 11 m Steel Tubular Pole with channel and support structures all complete as per design and drawings |            | nos. |                                  | -                         | -                        | -                | -              |                           |                          |                  | -                            | -  |

| Name of Tenderer      |  |
|-----------------------|--|
|                       |  |
|                       |  |
| Signature of Tenderer |  |



4-A-18 Section 4: Tender Forms

#### Nepal Electricity Authority

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

|          |  |            |          |                                  |                           |                          |                  |                |                           |   |                   | FC: USD                      | LC: NPR  |
|----------|--|------------|----------|----------------------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|---|-------------------|------------------------------|--|
| Item     | Description  | Country of | Unit     | Unit Rate, CIP<br>(Nepal Border) |                           | Quantity                 |                  | Total Quantity | Unit Rate, Don            | nestic Transportation<br>Local Currency | on and Insurance, | Total, CIP (Nepal<br>Border) | Total, Domestic<br>Transportation and<br>Insurance |
|          | ·  | Origin     |          | Foreign Currency                 | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | •              | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga                | Badimalika Kolti  | Foreign Currency             | Local Currency                                     |
| 1        | 2  | 3          | 4        | 5                                |                           | 6                        |                  | 7 = Σ6         |                           | 8                                       |                   | 9 = 5 x 7                    | 10 = Σ(π(8 x 6))                                   |
| <b>'</b> | 2  |            | <b>"</b> | 9                                | Α                         | В                        | С                | 7 – 20         | Α                         | В                                       | С                 | 9-5%7                        | 10 - 2(11(8 x 8))                                  |
| 2        | Pole Clamp with Nut, bolt and washers (TC3) use for 13 m or 14.5 m  Steel Tubular Pole with channel and support structures all complete as per design and drawings   |            | nos.     |                                  | 6.00                      | 4.00                     | 152.00           | 162.00         |                           |   |                   | -                            | -  |
| 3        | Bolts with suitable nuts and washers (M16 x 50 mm)   |            | nos.     |                                  | 12.00                     | 8.00                     | 304.00           | 324.00         |                           |   |                   | -                            | -  |
| 4        | Bolts with suitable nuts and washers (M16 x 100 mm)  |            | nos.     |                                  | 12.00                     | 8.00                     | 304.00           | 324.00         |                           |   |                   | -                            | -  |
|          | Stay Wire, (7/10 SWG minimum)  |            | kg       |                                  | 60.00                     | 40.00                    | 1,520.00         | 1,620.00       |                           |   |                   | -                            | -  |
|          | Stay/Guy Insulator   |            | nos.     |                                  | 6.00                      | 4.00                     | 152.00           | 162.00         |                           |   |                   | -                            | -  |
|          | , Stay Turn Buckle including Thimble, (18 SWG minimum)   |            | nos.     |                                  | 6.00                      | 4.00                     | 152.00           | 162.00         |                           |   |                   | -                            | -  |
| 8        | Stay I bolt, (12 inch minimum)   |            | 0        |                                  | 6.00                      | 4.00                     | 152.00           | 162.00         |                           |   |                   | -                            | -  |
| 9        | Stay I Rod/Anchor Rod, (minimum 1600 mm)   |            | nos.     |                                  | 6.00                      | 4.00                     | 152.00           | 162.00         |                           |   |                   | -                            | -  |
|          | Bow set with Thimble   |            | nos.     |                                  | 6.00                      | 4.00                     | 152.00           | 162.00         |                           |   |                   | -                            | -  |
| 11       | Stay Grip  |            | nos.     |                                  | 6.00                      | 4.00                     | 152.00           | 162.00         |                           |   |                   | -                            | -  |
| 12       | Galvanized Steel Stay Plate for Installation Underground, (600 x 600 x 6 mm minimum)   |            | nos.     |                                  | 6.00                      | 4.00                     | 152.00           | 162.00         |                           |   |                   | -                            | -  |
| 0.0      | On a sigl Common and a   |            |          |                                  |                           |                          |                  | -              |                           |   |                   |                              | -  |
| C.3      | Special Components 14.5 m Steel Tubular Pole   |            | noo      |                                  | 1.00                      | 1.00                     | 4.00             | 6.00           |                           |   |                   |                              | -  |
| <u> </u> |  |            | nos.     |                                  | 1.00                      | 1.00                     | 4.00             | 6.00           |                           |   |                   |                              | -  |
| 2        | Special 33 kV gantry type tower for river/road/valley crossings(approx span 350 m), all complete including body extensions of 9m, tower earthing material, tower accessories -Anti Climbing Device, Bird Guards, Plates (Danger, Number, Phase, Circuit) |            | ton      |                                  | -                         | -                        | 10.80            | 10.80          |                           |   |                   |                              | -  |
| 3        | Bird Guard in Poles as per project<br>requirement (1 set consists of<br>complete set required for a pole)  |            | set      |                                  | 10.00                     | 10.00                    | 30.00            | 50.00          |                           |   |                   |                              | -  |
|          | · · · · · · ·  |            |          |                                  |                           |                          |                  |                |                           |   |                   |                              | i  |

| Name of Tenderer      |
|-----------------------|
|                       |
|                       |
| Signature of Tenderer |



### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 1: Plant and Mandatory Spare Parts Supplied from Abroad (Excluding Custom Duty and VAT applicable in Employer's Country)

Badimalika Kolti

С

Quantity

Budhiganga

Budhiganga

Unit Rate, CIP

(Nepal Border)

Foreign Currency

Sigas Surnaiya

(Musya)

Country of

Origin

3

Unit

kms

kms

set

set

kms

kms

set

set

set

Item

D.

Description

2

33kV Underground Power Cable (Al conductor, XLPE insulated, 400

48 Core ADSS Cable for Underground

Installation along the length of UGC 36kV Straight Through Joints (single -

33kV Cable Termination Kit Outdoor Type (single - core 3 nos. per set)

Flexible Pipe (225mm dia) for laying 5 Single Core UG Cable, ADSS Cable

including all accessories complete HDPE Pipe (225mm dia, 6kg) for laying Single Core UG Cable, ADSS

Cable at road crossings including all

Sheath Voltage Limitor including all

33kV Power Fuse (Drop Out Type)

30 kV, 10 kA Pole Mounted Lightning

sq.mm., Single core, armoured)

3 core 3 nos. per set) including all

accessories complete

including all

per set)

complete

accessories complete

accessories complete

8 including all accessories

9 Arrester including all

accessories complete

7 accessories complete (3 Nos.

**Under Ground Cable** 

FC: USD LC: NPR Total, Domestic Unit Rate, Domestic Transportation and Insurance, Total, CIP (Nepal Transportation and **Local Currency** Border) **Total Quantity** Insurance Budhiganga Sigas Surnaiya Badimalika Kolti Foreign Currency **Local Currency** (Musya) Budhiganga  $10 = \Sigma(\pi(8 \times 6))$ 7 = Σ6  $9 = 5 \times 7$ В С Α

|  | - | - |  |
|--|---|---|--|
|  | - | - |  |
|  | - | - |  |
|  | - | - |  |
|  | - | - |  |
|  | - | - |  |
|  | - | - |  |
|  |   |   |  |
|  |   |   |  |



Tender No.:ICB-DCSD-2078/79-DSUEP-EIB-W3
Single-Stage: Two-Envelope

4-A-20 Section 4: Tender Forms

#### **Nepal Electricity Authority**

#### Distribution and Consumer Services Directorate

#### Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Summary of Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

FC: USD

LC: NPR

| Schedule No.  | Ile No. Title Foreign Currency  SUBSTATION  33 kV FEEDER / TAP OFF STRUCTURE  33 kV LINE | Il Price         |                |  |
|---------------|--|------------------|----------------|--|
| Scriedule No. | Title  | Foreign Currency | Local Currency |  |
| A.            | SUBSTATION   | -                | -              |  |
| B.            | 33 kV FEEDER / TAP OFF STRUCTURE   | -                | -              |  |
| C.            | 33 kV LINE   | -                | -              |  |
| D.            | UNDERGROUND CABLE  | -                | -              |  |
|               | Grand Total to be carried forward to Schedule 5  | -                | -              |  |

| Name of Tenderer |  |
|------------------|--|
|                  |  |

Signature of Tenderer



# Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

| Item | Description  | Unit | Unit Rate, EXWorks |                           | Quantity                 |                  | Total Quantity | Unit Rate, Don            | nestic Transportation    | n and Insurance, | Total EXW Price | Total, Domestic Transportation and Insurance | Total Price    |
|------|--|------|--------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|-----------------|--|----------------|
|      |  |      | Local Currency     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency  | Local Currency                               | Local Currency |
| 1    | 2  | 3    | 4                  | Α                         | 5<br>B                   | С                | 6 = Σ5         | Α                         | 7<br>B                   | С                | 8 = 4 x 6       | 9 = Σ(π(5 x 7))                              | 10 = 8 + 9     |
| A.   | SUBSTATION   |      |                    |                           |                          |                  |                |                           |                          |                  |                 |  |                |
|      | Power Transformers   |      |                    |                           |                          |                  |                |                           |                          |                  |                 |  |                |
| 1    | 33/11 kV 12/16 MVA copper wound  | set  |                    | -                         | -                        | -                |                |                           |                          |                  |                 |  |                |
|      | with all accessories   | set  |                    | -                         | -                        | -                |                |                           |                          |                  |                 |  |                |
| 3    | 33/11 kV 3 MVA copper wound power transformer, CRGO core   | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| 4    | 33/11 kV 1 MVA copper wound power transformer, CRGO core   | set  |                    | -                         | -                        | -                |                |                           |                          |                  |                 |  |                |
|      |  |      |                    |                           |                          |                  |                |                           |                          |                  |                 |  |                |
| A.2  | 36 kV System   |      |                    |                           |                          |                  |                |                           |                          |                  |                 |  |                |
| 1    | Accessories all Complete   | set  |                    | 3.00                      | 3.00                     | 3.00             |                |                           |                          |                  |                 |  |                |
|      | 36 kV, 630 A, 25 kA, isolator with earth switch including accessories all complete                 | set  |                    | 6.00                      | 6.00                     | 6.00             |                |                           |                          |                  |                 |  |                |
| 3    | 36 kV, 40 A, Load Break Switch with accessories all complete                                       | set  |                    | -                         | -                        | -                |                |                           |                          |                  |                 |  |                |
| 4    | 36 kV, 4 A, Load Break Switch with accessories all complete  | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| 5    | Two Core Potential Transformer for 33 kV including fuse with accessories all complete as specified | set  |                    | 3.00                      | 3.00                     | 3.00             |                |                           |                          |                  |                 |  |                |
| 6    | as specified   | set  |                    | 3.00                      | 3.00                     | 3.00             |                |                           |                          |                  |                 |  |                |
| 7    | Two Core Bushing CT for 33/11 kV Power Transformer with accessories all complete as specified.     | set  |                    | -                         | -                        | -                |                |                           |                          |                  |                 |  |                |
|      | accessories all complete as specified.   | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| 9    | 30 kV, 10 kA, lighting arrestor with accessories all complete                                      | set  |                    | 4.00                      | 4.00                     | 4.00             |                |                           |                          |                  |                 |  |                |




4-A-22 Section 4: Tender Forms

# Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

| Item | m Description   |     | Unit Rate, EXWorks |                           | Quantity                 |                  | Total Quantity | Unit Rate, Don            | nestic Transportation    | on and Insurance, | Total EXW Price | Total, Domestic<br>Transportation and<br>Insurance | Total Price    |
|------|---|-----|--------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|-------------------|-----------------|--|----------------|
|      |   |     | Local Currency     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti  | Local Currency  | Local Currency                                     | Local Currency |
| 1    | 2   | 3   | 4                  |                           | 5                        |                  | 6 = Σ5         |                           | 7                        |                   | 8 = 4 x 6       | $9 = \Sigma(\pi(5 \times 7))$                      | 10 = 8 + 9     |
|      |   |     |                    | Α                         | В                        | С                |                | Α                         | В                        | С                 |                 | 0 =((0 x · //)                                     |                |
| 10   | 33kV Outdoor Busbar (IPS tube,<br>800A) with required insulators and<br>accessories as well as any cables<br>necessary in 33 kV side all complete | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                   |                 |  |                |
|      | 33/11 kV Transformer Control and Protection Panel complete with all accessories as per specification  | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                   |                 |  |                |
|      | 33 kV Protection Control and Relay Panel complete with all accessories as per specification for Line Bays   | set |                    | 2.00                      | 2.00                     | 2.00             |                |                           |                          |                   |                 |  |                |
| 13   | Marshalling Kiosk Box with<br>Accessories all Complete (1 set refers<br>to complete set in a substation)  | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                   |                 |  |                |
| A.3  | 12 kV System  |     |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
| 1    | 12 kV Indoor VCB, with Control and<br>Relay Panel and CT / PT with<br>accessories all complete as specified                                       | set |                    | 5.00                      | 5.00                     | 5.00             |                |                           |                          |                   |                 |  |                |
|      | 12 kV, 25 kA, Indoor Earth Switch with accessories all complete as specified  | set |                    | 4.00                      | 4.00                     | 4.00             |                |                           |                          |                   |                 |  |                |
| 3    | 9 kV, 10 kA, lighting arrestor with accessories all complete  | set |                    | 5.00                      | 5.00                     | 5.00             |                |                           |                          |                   |                 |  |                |
|      |   |     |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |





# Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

| Item | Description  | Unit Rate, EXWorks  Local Currency |                |                           | Quantity                 |                  | Total Quantity | Unit Rate, Dor            | nestic Transportatio<br>Local Currency | n and Insurance, | Total EXW Price | Total, Domestic<br>Transportation and<br>Insurance | Total Price    |
|------|--|------------------------------------|----------------|---------------------------|--------------------------|------------------|----------------|---------------------------|--|------------------|-----------------|--|----------------|
|      |  |                                    | Local Currency | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga               | Badimalika Kolti | Local Currency  | Local Currency                                     | Local Currency |
| 1    | 2  | 3                                  | 4              |                           | 5                        | _                | 6 = Σ5         |                           | 7                                      |                  | 8 = 4 x 6       | $9 = \Sigma(\pi(5 \times 7))$                      | 10 = 8 + 9     |
| A 4  | Station Comply System  |                                    |                | Α                         | В                        | С                |                | Α                         | В                                      | С                |                 |  |                |
| A.4  | Station Supply System 33/0.4 kV 100 kVA station                          |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 1 1  | transformer  | set                                |                | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
|      | AC Distribution System Including   |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | Accessories all Complete as per  |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | specifications(1 set includes complete                                   |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 2    |  | set                                |                | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| _    | buildings and constructions with   |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | necessary earthing works inside the                                      |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | substation)  |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | Portable Diesel Generator, 10 kVA,                                       |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | 400 V including grid interconnection                                     |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 3    |  | set                                |                | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
|      | associated panels, as per  |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | specifications   |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      |  |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | DC System  |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | 250 Ah, 110 V maintenance free   |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 1    | batteries including complete   | set                                |                | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
|      | accessories  |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 2    | Battery Charging unit (110 V) with                                       | set                                |                | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| _    | accessories all complete   | SEL                                |                | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
|      | DC Distribution System including   |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 3    | accessories all complete as per  | set                                |                | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
|      | specifications(1 set includes complete                                   | 301                                |                | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
|      | lot for substation)  |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      |  |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
| A.6  | Cables   |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 1    | 11 kV XLPE Cable 3 Core 300 sq mm  | lm                                 |                | 25.00                     | 25.00                    | 25.00            |                |                           |  |                  |                 |  |                |
| 1    | (Armoured)   |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 2    | 11 kV XLPE Cable 3 Core 185 sq mm (Armoured)                             | m                                  |                | 100.00                    | 100.00                   | 100.00           |                |                           |  |                  |                 |  |                |
|      | (Armoured)   |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 3    | 11 kV XLPE Cable 3 Core 120 sq mm  | m                                  |                | _                         | _                        | _                |                |                           |  |                  |                 |  |                |
|      | (Armourea)   |                                    |                |                           |                          |                  |                |                           | -                                      |                  |                 |  |                |
|      | 11 kV 3-core heat shrinkable Indoor                                      | ,                                  |                | F 00                      | F 00                     |                  |                |                           |  |                  |                 |  |                |
| 4    | Cable termination kit 185/300/120 sq                                     | set                                |                | 5.00                      | 5.00                     | 5.00             |                |                           |  |                  |                 |  |                |
|      | mm   |                                    |                |                           |                          |                  |                |                           | 1                                      |                  |                 |  |                |
|      | 11 kV 3-core heat shrinkable outdoor Cable termination kit 185/120 sq mm | cot                                |                | 5.00                      | 5.00                     | 5.00             |                |                           |  |                  |                 |  |                |
| 3    | Cable termination kit 185/120 sq mm                                      | 351                                |                | 3.00                      | 3.00                     | 3.00             |                |                           |  |                  |                 |  |                |
|      |  |                                    |                |                           |                          |                  |                |                           |  |                  |                 |  |                |




4-A-24 Section 4: Tender Forms

# Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

| Item | Description   | Unit | Unit Rate, EXWorks |                           | Quantity                 |                  | Total Quantity | Unit Rate, Don            | nestic Transportatio<br>Local Currency | n and Insurance, | Total EXW Price | Total, Domestic Transportation and Insurance | Total Price    |
|------|---|------|--------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|--|------------------|-----------------|--|----------------|
|      |   |      | Local Currency     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga               | Badimalika Kolti | Local Currency  | Local Currency                               | Local Currency |
| 1    | 2   | 3    | 4                  | A                         | 5<br>B                   | С                | 6 = Σ5         | Α                         | 7<br>B                                 | С                | 8 = 4 x 6       | 9 = Σ(π(5 x 7))                              | 10 = 8 + 9     |
| "    | Control cables including accessories complete (1 set includes source bay and destination bay together)(1 set includes complete lot for substation)  | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| 7    | 1.1 kV power and lighting cable, including DC circuitry for all works in the switchyard, outdoor lighting, beauty lighting all complete (1 set includes complete lot for substation)                          | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| A.7  | Automation and Control System - SCADA   |      |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 1    | hardware & Software & fibre optic cable etc. all complete with necessary accessories adhering to the Technical Specifications and requirement for the substation.(1 set includes complete lot for substation) |      |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| 2    | Desktop, i9, 10th generation or equivalent with 512 GB SSD and 1 GB HDD, 24 " two screen,   | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| 3    | Laptop, with same configuration as desktop and 15 " screen  | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| A.8  | Grounding System  |      |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 1    | Switchyard Lightning Protection<br>System, Earthing arrangement,<br>Including protection for Control  | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| 2    |   | ton  |                    | 0.07                      | 0.07                     | 0.07             |                |                           |  |                  |                 |  |                |
|      |   |      |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| A.9  | Illumination System   |      |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |





# Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

| Item          | Description  | Unit | Unit Rate, EXWorks |                           | Quantity                 |                  | Total Quantity | Unit Rate, Don            | nestic Transportatio<br>Local Currency | n and Insurance, | Total EXW Price | Total, Domestic<br>Transportation and<br>Insurance | Total Price    |
|---------------|--|------|--------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|--|------------------|-----------------|--|----------------|
|               |  |      | Local Currency     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga               | Badimalika Kolti | Local Currency  | Local Currency                                     | Local Currency |
| 1             | 2  | 3    | 4                  |                           | 5                        |                  | 6 = Σ5         |                           | 7                                      |                  | 8 = 4 x 6       | $9 = \Sigma(\pi(5 \times 7))$                      | 10 = 8 + 9     |
|               |  |      | ·                  | Α                         | В                        | С                |                | Α                         | В                                      | С                |                 | -((o x · //  |                |
| 1             | Switchyard and Substation yard lighting with 36 W, IP 65 LED with at least 20 lux elsewhere and 200 lux at switchyard, as per site conditions all complete(1 set includes complete lot for substation) | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| A.10          | Outdoor Gantry and Support<br>Structures   |      |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 1             | Gantry Column, Support Structures,<br>Girder structures for 33/11 kV<br>substation, all complete as per<br>specifications for each sub-project   | ton  |                    | 6.44                      | 6.44                     | 6.44             |                |                           |  |                  |                 |  |                |
| 2             | Chequered Plate for Cable Trench in<br>Control Building of thickness as<br>mentioned in Technical Specification<br>with accessories all complete as for<br>specifications                              | ton  |                    | 0.67                      | 0.67                     | 0.67             |                |                           |  |                  |                 |  |                |
| A.11          | 11 kV Overhead Line Feeder Components  |      |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 1             | 9 kV 10 kA Pole Mounted lighting   | set  |                    | 4.00                      | 4.00                     | 4.00             |                |                           |  |                  |                 |  |                |
| 2             | Pole Mounted Isolator, for 11 kV with accessories all complete   | set  |                    | 4.00                      | 4.00                     | 4.00             |                |                           |  |                  |                 |  |                |
|               |  |      |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
|               | SPARE PARTS  |      |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| <b>A.12.1</b> | For Transformers  33 kV and 11 kV Bushing(one of each type)  | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| 2             |  | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
|               |  | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           | <u> </u>                               |                  |                 |  |                |
|               |  | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| 5             | Indicating Lamps (25% of used)   | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| 6             | All types of Fuses (25% of used)   | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| 1             | Complete set of Gaskets of each type   | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |
| 8             | Complete set of Pressure Relief Devices  | set  |                    | 1.00                      | 1.00                     | 1.00             |                |                           |  |                  |                 |  |                |




4-A-26 Section 4: Tender Forms

## Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

| Item | Description   | Unit | Unit Rate, EXWorks | ·                         |                  |      | Total Quantity |                           |                          |                  | Total EXW Price               | Total, Domestic Transportation and Insurance | Total Price    |
|------|---|------|--------------------|---------------------------|------------------|------|----------------|---------------------------|--------------------------|------------------|-------------------------------|--|----------------|
|      |   |      | Local Currency     | Sigas Surnaiya<br>(Musya) | Badimalika Koiti |      |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency                | Local Currency                               | Local Currency |
| 4    | 2   | ,    | 4                  |                           | 5                |      | 6 = Σ5         | 7                         |                          | 8 = 4 x 6        | $9 = \Sigma(\pi(5 \times 7))$ | 10 = 8 + 9                                   |                |
| '    | 2   | 3    | 4                  | Α                         | В                | С    | o = 25         | Α                         | В                        | С                | 0-410                         | 9 = Σ(π(5 Χ /))                              | 10 - 0 + 9     |
| 9    | All type of Auxiliary, Relays,<br>Contactors and Timers for control,<br>protection and cooling circuit(one of<br>each type) | set  |                    | 1.00                      | 1.00             | 1.00 |                |                           |                          |                  |                               |  |                |
| 10   | OLTC Motor Contactor  | set  |                    | 1.00                      | 1.00             | 1.00 |                |                           |                          |                  |                               |  |                |
| 11   | Complete set of Buchholz relay  | set  |                    | 1.00                      | 1.00             | 1.00 |                |                           |                          |                  |                               |  |                |
| 12   | OLTC motor  | set  |                    | 1.00                      | 1.00             | 1.00 |                |                           |                          |                  |                               |  |                |
| 13   | Motors for mechanism of each type   | set  |                    | 1.00                      | 1.00             | 1.00 |                |                           |                          |                  |                               |  |                |





# Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

| Item     | Description   | Unit | Unit Rate, EXWorks | Tota  Sigas Surnaiya Budhiganga Badimalika Kolti | Total Quantity           |                  | nestic Transportation |                           | Total EXW Price          | Total, Domestic<br>Transportation and<br>Insurance | Total Price    |                               |                |
|----------|---|------|--------------------|--|--------------------------|------------------|-----------------------|---------------------------|--------------------------|--|----------------|-------------------------------|----------------|
|          |   |      | Local Currency     | Sigas Surnaiya<br>(Musya)                        | Budhiganga<br>Budhiganga | Badimalika Kolti |                       | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti                                   | Local Currency | Local Currency                | Local Currency |
| 1        |   | ,    | 4                  |  | 5                        |                  | 6 = Σ5                |                           | 7                        |  | 0 - 4 - 6      | 0 - 5(-(5 × 7))               | 10 = 8 + 9     |
| 1        | 2   | 3    | 4                  | Α  | В                        | С                | 6 = 25                | Α                         | В                        | С  | 8 = 4 x 6      | $9 = \Sigma(\pi(5 \times 7))$ | 10 = 0 + 9     |
|          |   |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
| A.12.2   | For 33 kV Circuit Breaker                                   |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
|          | Tripping Coils  | set  |                    | 3.00   | 3.00                     | 3.00             |                       |                           |                          |  |                |                               |                |
|          | Closing Coils   | set  |                    | 3.00   | 3.00                     | 3.00             |                       |                           |                          |  |                |                               |                |
|          | Relays and Contactors (One of each                          |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
| 3        | type)   | set  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |
|          | Motors for Mechanism  | set  |                    | 3.00   | 3.00                     | 3.00             |                       |                           |                          |  |                |                               |                |
|          | Interrupter for VCB   | set  |                    | 3.00   | 3.00                     | 3.00             |                       |                           |                          |  |                |                               |                |
|          | interruptor for VOS   | 001  |                    | 0.00   | 0.00                     | 0.00             |                       |                           |                          |  |                |                               |                |
| A.12.3   | For 33 kV Disconnecting Switch                              |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
|          | Porcelain insulator   | set  |                    | 6.00   | 6.00                     | 6.00             |                       |                           |                          |  |                |                               |                |
|          | Main contact assemblies including                           |      |                    |  |                          |                  |                       | <u> </u>                  | 1                        | 1  |                |                               |                |
| 2        | grounding blades  | set  |                    | 6.00   | 6.00                     | 6.00             |                       |                           |                          |  |                |                               |                |
|          | Auxilliary contacts   | set  |                    | 6.00   | 6.00                     | 6.00             |                       |                           |                          |  |                |                               |                |
|          | Interlocking Coil   | set  |                    | 6.00   | 6.00                     | 6.00             |                       |                           |                          |  |                |                               |                |
| <u> </u> | Interregianing con  | 001  |                    | 0.00   | 0.00                     | 0.00             |                       |                           |                          |  |                |                               |                |
| Δ174     | For 33 kV Instrument  |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
|          | Transformers Two Core Potential Transformer for             |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
|          | 22 kV including fuse with accessories                       |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
| 1        | all complete as specified (1 Set = 3                        | set  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |
|          | Phase)  |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
|          | Three Core Current Transformer for                          |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
| 2        | 33 kV with accessories all complete                         | set  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |
|          | as specified (1 Set = 3 Phase)                              | 361  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |
|          | as specified (1 Set – 3 Filase)                             |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
| A.12.5   | Lightning Arrestor  |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
| A. 12.3  | 30 kV Lightning Arrestor (1 Set = 3                         |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
| '        | Phase)  | set  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |
| 2        | 9 kV Lightning Arrestor (1 Set = 3 Phase)                   | set  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |
|          | ,   |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
| A.12.6   | For 33 kV Control & Relay panel                             |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
|          |   | set  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |
| 2        | Fuses of each type(50% of used)                             | set  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |
| _        | Color Caps of each color for                                |      |                    |  |                          |                  |                       |                           |                          |  |                |                               |                |
| 3        | Color Caps of each color for indicating lamps (30% of used) | set  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |
|          | One of each type of Switch, Timer                           | 4    |                    | 4.00   | 4.00                     | 4.00             |                       |                           |                          |  |                |                               |                |
| 7        | and other special devices                                   | set  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |
| _        | 3 Phase Over Current Relays with                            | ١.   |                    | 4.65   | 4.00                     | 4.00             |                       |                           | 1                        |  |                |                               |                |
| 5        | Earthfault Inbuilt  | set  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |
|          | 3 Phase Transformer Differential                            |      |                    | 4.00   | 4.00                     | 4.00             |                       |                           |                          |  |                |                               |                |
|          | Relays  | set  |                    | 1.00   | 1.00                     | 1.00             |                       |                           |                          |  |                |                               |                |




4-A-28 Section 4: Tender Forms

### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

| Item               | Item Description   |     | Unit Rate, EXWorks |                           | Quantity                 |                  | Total Quantity | Unit Rate, Don            | nestic Transportation    |                  | Total EXW Price | Total, Domestic<br>Transportation and<br>Insurance | Total Price    |
|--------------------|--|-----|--------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|-----------------|--|----------------|
|                    |  |     | Local Currency     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency  | Local Currency                                     | Local Currency |
| 1 1                | 2  | 3   | 4                  |                           | 5                        |                  | 6 = Σ5         |                           | 7                        |                  | 8 = 4 x 6       | $9 = \Sigma(\pi(5 \times 7))$                      | 10 = 8 + 9     |
|                    |  |     | ·                  | Α                         | В                        | С                | J 20           | Α                         | В                        | С                | l a la c        | 0 =((0 x · //)                                     |                |
|                    | ach type of Auxiliary Relay                                  | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
|                    | mmeter   | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| 9 V                | oltmeter   | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
|                    |  |     |                    |                           |                          |                  |                |                           |                          |                  |                 |  |                |
|                    | ommunication/SCADA   |     |                    |                           |                          |                  |                |                           |                          |                  |                 |  |                |
|                    | nput Output Cards/Attribute Cards,<br>50% of used)           | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| A.12.8 1           | 10 V Battery Charger   |     |                    |                           |                          |                  |                |                           |                          |                  |                 |  |                |
|                    | uses of each type(50% of used)                               | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
|                    | ndicating Lamp (50% of used)                                 | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| 20                 | ne of each type of Switch, Timer<br>nd other special devices | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
|                    | mmeter   | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| 5 V                | oltmeter   | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
|                    |  |     |                    |                           |                          |                  |                |                           |                          |                  |                 |  |                |
| A.12.9 F           | or 11 kV Circuit Breakers                                    |     |                    |                           |                          |                  |                |                           |                          |                  |                 |  |                |
| l <sup>1</sup>  ch | omplete set of replacable vacuum hambers                     | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| CC                 | et of Tripping, closing and auxilliary<br>oils               | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| 3 O                | ver current/Earth fault relay                                | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
|                    | 2 kV Current Transformer                                     | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| 6 12               | 2 kV Potential Transformer                                   | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| 7 S                | pring Charge Motor   | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |
| 8 V                | CB Breaker Trollery  | set |                    | 1.00                      | 1.00                     | 1.00             |                |                           |                          |                  |                 |  |                |





# Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

| Item | Description  | Unit | Unit Rate, EXWorks | Sigas Surnaiya   Budhiganga   Badimalika Kalii |                          |                  | Total Quantity | Ciaco Curnoivo   Pudhigongo |  |                  | Total EXW Price | Total, Domestic<br>Transportation and<br>Insurance | Total Price    |
|------|--|------|--------------------|--|--------------------------|------------------|----------------|-----------------------------|--|------------------|-----------------|--|----------------|
|      |  |      | Local Currency     |  | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya)   | Budhiganga<br>Budhiganga                         | Badimalika Kolti | Local Currency  | Local Currency                                     | Local Currency |
| 1    | 2  | 3    | 4                  |  | 5                        |                  | 6 = Σ5         |                             | 7  |                  | 8 = 4 x 6       | $9 = \Sigma(\pi(5 \times 7))$                      | 10 = 8 + 9     |
|      |  |      | ·                  | Α  | В                        | С                |                | Α                           | В  | С                | ••              | -((o x. 1))  |                |
| В.   | 33 kV FEEDER / TAP OFF<br>STRUCTURE                          |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| B.1  | Interconnection System                                       |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
|      | 36 kV, 630 A, 25 kA Outdoor Type,                            |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| 1    | I .  | set  |                    | -  | -                        | 1.00             |                |                             |  |                  |                 |  |                |
|      | Accessories all Complete                                     |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
|      | 36 kV, 630 A, 25 kA, isolator with                           |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| 2    | earth switch including accessories all                       | set  |                    | -  | -                        | 2.00             |                |                             |  |                  |                 |  |                |
|      | complete   |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| 3    | 36 kV, 400 A/300 A Load Break                                | set  |                    | _  | _                        | _                |                |                             |  |                  |                 |  |                |
|      | Switch with accessories all complete                         | 001  |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| 4    | 30 kV, 10 kA, lighting arrestor with                         | set  |                    | 1.00   | 1.00                     | 1.00             |                |                             |  |                  |                 |  |                |
|      | accessories all complete                                     |      |                    | 1.00   | 1.00                     | 1.00             |                |                             |  |                  |                 |  |                |
|      | Three Core Current Transformer for                           |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| 5    | 33 kV with accessories all complete                          | set  |                    | 1.00   | 1.00                     | 1.00             |                |                             |  |                  |                 |  |                |
|      | as specified   |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
|      | Two Core Potential Transformer for                           |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| 6    | 33 kV including fuse with accessories                        | set  |                    | 1.00   | 1.00                     | 1.00             |                |                             |  |                  |                 |  |                |
|      | all complete as specified                                    |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
|      | <u> </u>   |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
|      | Miscellaneous fitting accessories,                           |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| 7    | ACSR Conductors and all                                      | set  |                    | 1.00   | 1.00                     | 1.00             |                |                             |  |                  |                 |  |                |
|      | accessories required for the tapping                         |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
|      | and bay extension work                                       |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
|      | Marshalling Kiosk Box with                                   |      |                    |  |                          | 4 00             |                |                             |  |                  |                 |  |                |
| 8    | Accessories all Complete for                                 | set  |                    | -  | -                        | 1.00             |                |                             |  |                  |                 |  |                |
|      | placement at tapping point                                   |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| B.2  | Structures, insulators and busbars for Bay                   |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| 1    | 33 kV pin insulators with supporting structures all complete | set  |                    | -  | -                        | -                |                |                             |  |                  |                 |  |                |
|      |  |      |                    |  |                          |                  |                |                             | <del>                                     </del> |                  |                 |  |                |
|      | Gantry Column, Girder structures for                         | l.   |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| 2    |  | ton  |                    | -  | -                        | 0.65             |                |                             |  |                  |                 |  |                |
|      | per specifications for each sub-project                      |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
|      | 33 kV outdoor bus bars (IPS tube,                            |      |                    |  |                          |                  |                |                             | <del>                                     </del> |                  |                 |  |                |
|      | 2001) with all required inculators and                       | _    |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| 3    | complete accessories for bay                                 | set  |                    | -  | -                        | 1.00             |                |                             |  |                  |                 |  |                |
|      | extention, all complete                                      |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
|      | 36W, IP 65 Outdoor light for                                 |      |                    |  |                          |                  |                | <u> </u>                    | <u> </u>   |                  |                 |  |                |
| 4    |  | set  |                    | 1.00   | 1.00                     | 1.00             |                |                             |  |                  |                 |  |                |
| '    | Point/Switchyard/LILO point                                  |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| B.3  | Spare Parts  |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |
| B.3  | Spare Parts  |      |                    |  |                          |                  |                |                             |  |                  |                 |  |                |




4-A-30 Section 4: Tender Forms

# Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

| Item | Description   | Unit | Unit Rate, EXWorks |                           | Quantity                 |                  | Total Quantity | Unit Rate, Dor            | Unit Rate, Domestic Transportation and Insurance,<br>Local Currency |                  |                | Total, Domestic Transportation and Insurance | Total Price    |
|------|---|------|--------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|---|------------------|----------------|--|----------------|
|      |   |      | Local Currency     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga  | Badimalika Kolti | Local Currency | Local Currency                               | Local Currency |
| 4    | 2   | 2    | 4                  |                           | 5                        |                  | 6 = Σ5         | 7                         |   |                  | 8 = 4 x 6      | $9 = \Sigma(\pi(5 \times 7))$                | 10 = 8 + 9     |
| '    | 2   | "    | <b>"</b>           | Α                         | В                        | С                | 0 - 25         | Α                         | В   | С                | 0-470          | 9 - 2(11(5 x 7))                             | 10-0+9         |
|      | Load Break Switch   |      |                    |                           |                          |                  |                |                           |   |                  |                |  |                |
| 1    | Complete Set of Load Break Switch used with Storage Compartment | set  |                    | -                         | -                        | -                |                |                           |   |                  |                |  |                |





# Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

| Item  | Description  | Unit   | Unit Rate, EXWorks | Sigas Surnaiya Budhigan   | Quantity                 |                  | Total Quantity | Unit Rate, Dor            | nestic Transportation    | on and Insurance, | Total EXW Price | Total, Domestic<br>Transportation and<br>Insurance | Total Price    |
|-------|--|--|--------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|-------------------|-----------------|--|----------------|
|       |  |  | Local Currency     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti  | Local Currency  | Local Currency                                     | Local Currency |
| 1     | 2  | 3  | 4                  |                           | 5                        |                  | 6 = Σ5         |                           | 7                        |                   | 8 = 4 x 6       | $9 = \Sigma(\pi(5 \times 7))$                      | 10 = 8 + 9     |
| '     |  |  |                    | Α                         | В                        | С                | 0 - 23         | Α                         | В                        | С                 | 0-470           | 9 - Z(II(3 X 7))                                   | 10-0.3         |
| C.    | 33 kV Line   |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
| C.1   | Conductors   |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
| 1     | Overhead ACSR WOLF Conductor, 150 sq mm. with 5% Sag | kms.   |                    | -                         | -                        | -                |                |                           |                          |                   |                 |  |                |
|       | Overhead ACSR DOG Conductor,                         |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
| 2     | 100 sq mm. with 5% Sag                               | kms.   |                    | 1.15                      | 0.23                     | 84.36            |                |                           |                          |                   |                 |  |                |
|       | ADSS Cable with 5% sag,approach                      |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
|       | cable and support structure (Clamp,                  |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
|       | nut bolts, shackle insulators all) all               |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
| 3     | complete as per specifications for                   | kms.   |                    | 0.19                      | 0.04                     | 28.12            |                |                           |                          |                   |                 |  |                |
|       | SCADA of Tapping Point to                            |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
|       | Substation and facility for data                     |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
|       | transfer to other substation in future               |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
|       | Mid-Span Joining Sleeve (Covered                     | nos.   |                    | 1.00                      | 1.00                     | 57.00            |                |                           |                          |                   |                 |  |                |
|       | Conductor. rated min 500A)                           | 1100.  |                    | 1.00                      | 1.00                     | 07.00            |                |                           |                          |                   |                 |  |                |
|       |  |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
| C.2   | Poles and accessories                                |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
| C.2.1 | Single Circuit Structure and                         |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
| 1     | Accessories 11 M Steel Tubular Pole                  | noo  |                    |                           |                          | 641.00           |                |                           |                          |                   |                 |  |                |
|       | Back Strap   | nos.   |                    | -                         | -                        | 888.00           |                |                           |                          |                   |                 |  |                |
|       | Bolts with suitable nuts and washers                 | 1105.  |                    | <u> </u>                  | -                        |                  |                |                           |                          |                   |                 |  |                |
| 3     | (M16 x 100 mm)                                       | nos.   |                    | -                         | -                        | 3,542.00         |                |                           |                          |                   |                 |  |                |
|       | Bolts with suitable nuts and washers                 |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
| 4     | (M16 x 235 mm)                                       | nos.   |                    | -                         | -                        | 212.00           |                |                           |                          |                   |                 |  |                |
|       | Bolts with suitable nuts and washers                 |  |                    |                           |                          | 4.474.00         |                |                           |                          |                   |                 |  |                |
| 5     | (M16 x 50 mm)  | nos.   |                    | -                         | -                        | 1,174.00         |                |                           |                          |                   |                 |  |                |
|       | Disc Type Insulator, set of three for                |  |                    |                           |                          | 000.00           |                |                           |                          |                   |                 |  |                |
|       | 33 kV  | nos.   |                    | -                         | -                        | 888.00           |                |                           |                          |                   |                 |  |                |
| 7     | Flat Crossarm Brace 33 kV (50 x 6 x                  | nos.   |                    | _                         | _                        | 962.00           |                |                           |                          |                   |                 |  |                |
|       | 666 mm)  | 1105.  |                    |                           | _                        | 902.00           |                |                           |                          |                   |                 |  |                |
| ع ا   | Insulator Pin for Pin Insulator of 33 kV             | nos.   |                    | _                         | _                        | 1,683.00         |                |                           |                          |                   |                 |  |                |
|       | kV   |  |                    |                           |                          | ·                |                |                           |                          |                   |                 |  |                |
|       | PG Clamp for ACSR DOG/WOLF                           | nos.   |                    | -                         | -                        | 444.00           |                |                           |                          |                   |                 |  |                |
| 10    | Pin Type Insulator for 33 kV                         | nos.   |                    | -                         | -                        | 1,683.00         |                |                           |                          |                   |                 |  |                |
|       | Pole Clamp with Nut, bolt and                        |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
| 11    | washers (TC1) with channel and                       | nos.   |                    | -                         | -                        | 809.00           |                |                           |                          |                   |                 |  |                |
|       | support structures all complete as per               |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
|       | design and drawings Pole Clamp with Nut, bolt and    | <del>                                     </del> |                    |                           |                          |                  |                | -                         | +                        |                   |                 |  |                |
|       | washers (TC2) with channel and                       |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
| 12    | support structures all complete as per               | nos.   |                    | -                         | -                        | 962.00           |                |                           |                          |                   |                 |  |                |
|       | design and drawings                                  |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
|       | Jucoign and drawings                                 |  |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |




4-A-32 Section 4: Tender Forms

## Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

| Item | Description  | Unit | Unit Rate, EXWorks |                           | Quantity                 |                  | Total Quantity |                           | nestic Transportation    | on and Insurance, | Total EXW Price | Total, Domestic<br>Transportation and<br>Insurance | Total Price    |
|------|--|------|--------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|-------------------|-----------------|--|----------------|
|      |  |      | Local Currency     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti  | Local Currency  | Local Currency                                     | Local Currency |
| 1    | 2  | 3    | 4                  | A                         | 5<br>B                   | С                | 6 = Σ5         | Α                         | 7<br>B                   | С                 | 8 = 4 x 6       | $9 = \Sigma(\pi(5 \times 7))$                      | 10 = 8 + 9     |
|      | Pole Clamp with Nut, bolt and  |      |                    | A                         | <u> </u>                 | U                |                | A                         | В В                      |                   |                 |  |                |
| 13   | washers, Bottom Bracing (TC5) with<br>channel and support structures all<br>complete as per design and drawings                      | nos. |                    | -                         | -                        | 84.00            |                |                           |                          |                   |                 |  |                |
| 14   | Pole Clamp with Nut, bolt and washers, Top Bracing (TC4) with channel and support structures all complete as per design and drawings | set  |                    | -                         | -                        | 84.00            |                |                           |                          |                   |                 |  |                |
|      |  | set  |                    | -                         | -                        | 1,683.00         |                |                           |                          |                   |                 |  |                |
| 40   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1800 mm)  | nos. |                    | -                         | -                        | 106.00           |                |                           |                          |                   |                 |  |                |
| ''   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1900 mm)  | set  |                    | -                         | -                        | 375.00           |                |                           |                          |                   |                 |  |                |
| 10   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2416 mm)  | nos. |                    | -                         | -                        | 42.00            |                |                           |                          |                   |                 |  |                |
| 19   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2919 mm)  | nos. |                    | -                         | -                        | 84.00            |                |                           |                          |                   |                 |  |                |
| 20   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 3300 mm)  | nos. |                    | -                         | -                        | 80.00            |                |                           |                          |                   |                 |  |                |
| 21   | Strap for Insulator String for 33 kV (100 x 5 x 350 mm)  | nos. |                    | -                         | -                        | 126.00           |                |                           |                          |                   |                 |  |                |
|      | Tension Set with Ball and Socket Eye   | nos. |                    | -                         | -                        | 888.00           |                |                           |                          |                   |                 |  |                |
| C.2  | Double Circuit Structure and Accessories   |      |                    |                           |                          |                  |                |                           |                          |                   |                 |  |                |
|      | 13 m Steel Tubular Pole  | nos. |                    | 10.00                     | 6.00                     | -                |                |                           |                          |                   |                 |  |                |
|      | Back Strap   | nos. |                    | 72.00                     | 36.00                    | -                |                |                           |                          |                   |                 |  |                |
|      | Bolts with suitable nuts and washers (M16 x 100 mm)  | nos. |                    | 104.00                    | 60.00                    | -                |                |                           |                          |                   |                 |  |                |
| 4    | Bolts with suitable nuts and washers (M16 x 235 mm)  | nos. |                    | 12.00                     | -                        | -                |                |                           |                          |                   |                 |  |                |
| ا    | Bolts with suitable nuts and washers (M16 x 50 mm)   | nos. |                    | 18.00                     | -                        | -                |                |                           |                          |                   |                 |  |                |
| 6    | Disc Type Insulator, set of three for 33 kV  | nos. |                    | 72.00                     | 36.00                    | -                |                |                           |                          |                   |                 |  |                |
| /    | Flat Crossarm Brace 33 kV (50 x 6 x 666 mm)  | nos. |                    | 12.00                     | -                        | -                |                |                           |                          |                   |                 |  |                |
| 8    | KV   | set  |                    | 36.00                     | 18.00                    | -                |                |                           |                          |                   |                 |  |                |
|      |  | set  |                    | 36.00                     |                          | -                |                |                           |                          |                   |                 |  |                |
| 10   | Pin Type Insulator for 33 kV   | nos. |                    | 36.00                     | 18.00                    | -                |                |                           |                          |                   |                 |  |                |





## Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

LC: NPR

| Item | Description   | Unit  | Unit Rate, EXWorks  Quantity  Unit Rate, Domestic Transportation and Instruction  Local Currency |                           |                          |                  | Unit Rate, Domestic Transportation and Insurance,<br>Local Currency |                           | Total EXW Price          | Total, Domestic<br>Transportation and<br>Insurance | Total Price    |                               |                |
|------|---|-------|--|---------------------------|--------------------------|------------------|---|---------------------------|--------------------------|--|----------------|-------------------------------|----------------|
|      |   |       | Local Currency   | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |   | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti                                   | Local Currency | Local Currency                | Local Currency |
| 1    | 2   | 3     | 4  |                           | 5                        |                  | 6 = Σ5  |                           | 7                        |  | 8 = 4 x 6      | $9 = \Sigma(\pi(5 \times 7))$ | 10 = 8 + 9     |
| '    | 2   |       | "  | Α                         | В                        | С                | 0 - 25  | Α                         | В                        | С  | 0-410          | 9 - 2(11(5 x 1))              | 10 - 0 + 3     |
|      | Pole Clamp with Nut, bolt and                           |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
| 1 11 | washers (TC1) with channel and                          |       |  | 30.00                     | 18.00                    |                  |   |                           |                          |  |                |                               |                |
| ''   | support structures all complete as per                  | set   |  | 30.00                     | 16.00                    | -                |   |                           |                          |  |                |                               |                |
|      | design and drawings                                     |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      | Pole Clamp with Nut, bolt and                           |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      | washers (TC2) with channel and                          | nos.  |  | 6.00                      | _                        | _                |   |                           |                          |  |                |                               |                |
| 12   | support structures all complete as per                  | 1103. |  | 0.00                      | _                        | _                |   |                           |                          |  |                |                               |                |
|      | design and drawings                                     |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      | Pole Clamp with Nut, bolt and                           |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
| 13   | washers, Bottom Bracing (TC5) with                      | nos.  |  | 8.00                      | 6.00                     | _                |   |                           |                          |  |                |                               |                |
|      | channel and support structures all                      | 1100. |  | 0.00                      | 0.00                     |                  |   |                           |                          |  |                |                               |                |
|      | complete as per design and drawings                     |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      | Pole Clamp with Nut, bolt and                           |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
| 14   | washers, Top Bracing (TC4) with                         | nos.  |  | 8.00                      | 6.00                     | _                |   |                           |                          |  |                |                               |                |
|      | channel and support structures all                      |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      | complete as per design and drawings                     |       |  | 00.00                     | 40.00                    |                  |   |                           |                          |  |                |                               |                |
|      |   | nos.  |  | 36.00                     | 18.00                    | -                |   |                           |                          |  |                |                               |                |
| 16   | Steel Crossarm Channel (100 x 50 x                      | nos.  |  | 4.00                      | 3.00                     | -                |   |                           |                          |  |                |                               |                |
|      | 7.5 x 4.7 x 1600 mm)                                    |       |  |                           |                          |                  |   |                           |                          |  | <u> </u>       |                               |                |
| 17   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 1640 mm) | nos.  |  | 4.00                      | 3.00                     | -                |   |                           |                          |  |                |                               |                |
|      | Steel Crossarm Channel (100 x 50 x                      |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
| 18   | 7.5 x 4.7 x 1700 mm)                                    | nos.  |  | 36.00                     | 18.00                    | -                |   |                           |                          |  |                |                               |                |
|      | Steel Crossarm Channel (100 x 50 x                      |       |  |                           |                          |                  |   |                           | +                        |  |                |                               |                |
| 19   | 7.5 x 4.7 x 2500 mm)                                    | nos.  |  | -                         | -                        | -                |   |                           |                          |  |                |                               |                |
|      |   |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
| 20   | Steel Crossarm Channel (100 x 50 x 7.5 x 4.7 x 2610 mm) | nos.  |  | 8.00                      | 6.00                     | -                |   |                           |                          |  |                |                               |                |
|      | Strap for Insulator String for 33 kV                    |       |  |                           |                          |                  |   |                           | <u> </u>                 |  |                |                               |                |
| 21   | Strap for Insulator String for 33 kV (100 x 5 x 350 mm) | nos.  |  | 24.00                     | 18.00                    | -                |   |                           |                          |  |                |                               |                |
|      |   |       |  | 70.00                     | 00.00                    |                  |   |                           |                          |  |                |                               |                |
| 22   | Tension Set with Ball and Socket Eye                    | nos.  |  | 72.00                     | 36.00                    | -                |   |                           |                          |  |                |                               |                |
| C.2  | Stay Set  |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      | Pole Clamp with Nut, bolt and                           |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      | washers (TC3) use for 11 m Steel                        |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      |   | nos.  |  | -                         | -                        | -                |   |                           |                          |  |                |                               |                |
|      | support structures all complete as per                  |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      | design and drawings                                     |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      | Pole Clamp with Nut, bolt and                           |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      | washers (TC3) use for 13 m or 14.5 m                    |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
| 1    |   | nos.  |  | 6.00                      | 4.00                     | 152.00           |   |                           |                          |  |                |                               |                |
|      | support structures all complete as per                  |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |
|      | design and drawings                                     |       |  |                           |                          |                  |   |                           |                          |  |                |                               |                |




4-A-34 Section 4: Tender Forms

## Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

| Item | Description  | Unit | Unit Rate, EXWorks |                           | Quantity                 |                  | Total Quantity | Unit Rate, Doi            | mestic Transportation Local Currency | Unit Rate, Domestic Transportation and Insurance,<br>Local Currency |                | Total, Domestic<br>Transportation and<br>Insurance | Total Price    |
|------|--|------|--------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------------------|---|----------------|--|----------------|
|      |  |      | Local Currency     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga             | Badimalika Kolti  | Local Currency | Local Currency                                     | Local Currency |
| 1    | 2  | 3    | 4                  |                           | 5                        |                  | 6 = Σ5         |                           | 7                                    |   | 8 = 4 x 6      | $9 = \Sigma(\pi(5 \times 7))$                      | 10 = 8 + 9     |
|      |  |      | 7                  | A                         | В                        | С                | 0 - 20         | A                         | В                                    | С   | 0-470          | 3 - 2(11(0 x 1))                                   | 10 - 0 : 3     |
| 3    | Bolts with suitable nuts and washers (M16 x 50 mm)   | nos. |                    | 12.00                     | 8.00                     | 304.00           |                |                           |                                      |   |                |  |                |
| 4    | Bolts with suitable nuts and washers (M16 x 100 mm)  | nos. |                    | 12.00                     | 8.00                     | 304.00           |                |                           |                                      |   |                |  |                |
| 5    | Stay Wire, (7/10 SWG minimum)  | kg   |                    | 60.00                     | 40.00                    | 1,520.00         |                |                           |                                      |   |                |  |                |
|      | Stay/Guy Insulator   | nos. |                    | 6.00                      | 4.00                     | 152.00           |                |                           |                                      |   |                |  |                |
| 7    | Stay Turn Buckle including Thimble, (18 SWG minimum)   | nos. |                    | 6.00                      | 4.00                     | 152.00           |                |                           |                                      |   |                |  |                |
| 8    | Stay I bolt, (12 inch minimum)   | 0    |                    | 6.00                      | 4.00                     | 152.00           |                |                           |                                      |   |                |  |                |
|      | Stay I Rod/Anchor Rod, (minimum 1600 mm)   | nos. |                    | 6.00                      | 4.00                     | 152.00           |                |                           |                                      |   |                |  |                |
| 10   | Bow set with Thimble   | nos. |                    | 6.00                      | 4.00                     | 152.00           |                |                           |                                      |   |                |  |                |
| 11   | Stay Grip  | nos. |                    | 6.00                      | 4.00                     | 152.00           |                |                           |                                      |   |                |  |                |
| 12   | Galvanized Steel Stay Plate for Installation Underground, (600 x 600 x 6 mm minimum)   | nos. |                    | 6.00                      | 4.00                     | 152.00           |                |                           |                                      |   |                |  |                |
|      |  |      |                    |                           |                          |                  |                |                           |                                      |   |                |  |                |
|      | Special Components   |      |                    | 4.00                      | 1.00                     | 4.00             |                |                           |                                      |   |                |  |                |
| 1    | 14.5 m Steel Tubular Pole  | nos. |                    | 1.00                      | 1.00                     | 4.00             |                |                           |                                      |   |                |  |                |
| 2    | Special 33 kV gantry type tower for river/road/valley crossings(approx span 350 m), all complete including body extensions of 9m, tower earthing material, tower accessories -Anti Climbing Device, Bird Guards, Plates (Danger, Number, Phase, Circuit) | ton  |                    | -                         | -                        | 10.80            |                |                           |                                      |   |                |  |                |
| 3    | Bird Guard in Poles as per project requirement (1 set consists of complete set required for a pole)  | set  |                    | 10.00                     | 10.00                    | 30.00            |                |                           |                                      |   |                |  |                |






## Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 2: Plant and Mandatory Spare Parts Supplied from Within the Employer's Country (Excluding VAT applicable in Employer's Country)

| Item | Description                            | Unit  | Unit Rate, EXWorks |                           | Quantity                 |                  | Total Quantity | Unit Rate, Dor            | nestic Transportatio<br>Local Currency | n and Insurance, | Total EXW Price | Total, Domestic<br>Transportation and<br>Insurance | Total Price    |
|------|--|-------|--------------------|---------------------------|--------------------------|------------------|----------------|---------------------------|--|------------------|-----------------|--|----------------|
|      |  |       | Local Currency     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti |                | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga               | Badimalika Kolti | Local Currency  | Local Currency                                     | Local Currency |
| 1    | 2                                      | 3     | 4                  |                           | 5                        |                  | 6 = Σ5         | 7                         |  | 8 = 4 x 6        | 9 = Σ(π(5 x 7)) | 10 = 8 + 9   |                |
|      |  |       | _ <b>-</b>         | Α                         | Α                        | В                | 0 - 23         | A                         | A                                      | В                | 0-470           | 3 - 2(II(3 X 1))                                   | 10-0.5         |
| D.   | Under Ground Cable                     |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | 33kV Underground Power Cable (Al       |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 1    | conductor, XLPE insulated, 400         | kms   |                    | -                         | -                        | -                |                |                           |  |                  |                 |  |                |
|      | sq.mm., Single core, armoured)         |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | 48 Core ADSS Cable for                 |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 2    | Underground Installation along the     | kms   |                    | -                         | -                        | -                |                |                           |  |                  |                 |  |                |
|      | length of UGC                          |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | 36kV Straight Through Joints (single - |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| ,    | core 3 nos. per set) including all     | set   |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 3    | accessories                            | Set   |                    | -                         | -                        | -                |                |                           |  |                  |                 |  |                |
|      | complete                               |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | 33kV Cable Termination Kit Outdoor     |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 1    | Type (single - core 3 nos. per set)    | set   |                    | _                         |                          |                  |                |                           |  |                  |                 |  |                |
| 4    | including all                          | 561   |                    | -                         | -                        | -                |                |                           |  |                  |                 |  |                |
|      | accessories complete                   |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | Flexible Pipe (225mm dia) for laying   |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 5    | Single Core UG Cable, ADSS Cable       | kms   |                    | -                         | -                        | -                |                |                           |  |                  |                 |  |                |
|      | including all accessories complete     |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | HDPE Pipe (225mm dia, 6kg) for         |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | laying Single Core UG Cable, ADSS      | kms   |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 0    | Cable at road crossings including all  | KIIIS |                    | -                         | -                        | -                |                |                           |  |                  |                 |  |                |
|      | accessories complete                   |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | Sheath Voltage Limitor including all   |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 7    | accessories complete (3 Nos.           | set   |                    | -                         | -                        | -                |                |                           |  |                  |                 |  |                |
|      | per set)                               |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | 33kV Power Fuse (Drop Out Type)        |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 8    | including all accessories              | set   |                    | -                         | -                        | -                |                |                           |  |                  |                 |  |                |
|      | complete                               |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
|      | 30 kV, 10 kA Pole Mounted Lightning    |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |
| 9    | Arrester including all                 | set   |                    | -                         | -                        | -                |                |                           |  |                  |                 |  |                |
|      | accessories complete                   |       |                    |                           |                          |                  |                |                           |  |                  |                 |  |                |





4-A-36 Section 4: Tender Forms

### **Nepal Electricity Authority**

### Distribution and Consumer Services Directorate

### Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

### Summary of Schedule No. 3: Design Services (Excluding VAT applicable in Employer's Country)

FC: USD

LC: NPR

| Schedule No.  | Title   | Total Price      |                |  |  |
|---------------|---|------------------|----------------|--|--|
| Scriedule No. | Title   | Foreign Currency | Local Currency |  |  |
| A.            | SUBSTATION                                      | -                | -              |  |  |
| B.            | 33 kV FEEDER / TAP OFF STRUCTURE                | -                | -              |  |  |
| C.            | 33 kV LINE                                      | -                | -              |  |  |
| D.            | UNDERGROUND CABLE                               | -                | -              |  |  |
|               | Grand Total to be carried forward to Schedule 5 | -                | -              |  |  |

| Nama | of Tenderer |  |
|------|-------------|--|
| Name | or renderer |  |

Signature of Tenderer\_\_\_\_



### Nepal Electricity Authority

### Distribution and Consumer Services Directorate

### Distribution System Upgrade and Expansion Project

### Schedule of Rates and Prices

Schedule No. 3: Design Services (Excluding VAT applicable in Employer's Country)

FC: USD

LC: NPR

|      |  |      |          | Unit                        | Price                     | Total Price                 |                           |  |
|------|--|------|----------|-----------------------------|---------------------------|-----------------------------|---------------------------|--|
| Item | Description  | Unit | Quantity | Foreign Currency<br>Portion | Local Currency<br>Portion | Foreign Currency<br>Portion | Local Currency<br>Portion |  |
| 1    | 2  | 3    | 4        | 5                           | 6                         | 7 = 4 x 5                   | 8 = 4 x 6                 |  |
| A.   | SUBSTATION   |      |          |                             |                           |                             |                           |  |
|      | Preconstruction Survey, Hydrological Study to identify flood   |      |          |                             |                           |                             |                           |  |
| 1    | levels and cut/fill volume of substation, Design and Drawings of                                       | LS   | 3.00     |                             |                           | -                           | -                         |  |
|      | 33/11 kV substation as per the scope of the project.   |      |          |                             |                           |                             |                           |  |
| 2    | As Built Drawings, Testing and Commissioning of 33/11 kV<br>Substation as per the scope of the project | LS   | 3.00     |                             |                           | -                           | -                         |  |
|      | Preconstruction Survey, Design and Drawings of roads to be   |      |          |                             |                           |                             |                           |  |
| 3    | constructed within or up to the substation as per the scope of   | kms  | 4.50     |                             |                           | -                           | -                         |  |
|      | the project.   |      |          |                             |                           |                             |                           |  |
|      | As Built Drawings, Testing and Commissioning of roads to be  |      |          |                             |                           |                             |                           |  |
| 4    | constructed within or up to the substation as per the scope of   | kms  | 4.50     |                             |                           | -                           | -                         |  |
|      | the project.   |      |          |                             |                           |                             |                           |  |
| B.   | 33 kV FEEDER/TAP OFF STRUCTURE   |      |          |                             |                           | -                           | -                         |  |
| 1    | Preconstruction Survey, Design and Drawings of 33 kV bay in  | LS   | 1.00     |                             |                           |                             |                           |  |
| I    | source substation as per the scope of the project.   | LS   | 1.00     |                             |                           | -                           | -                         |  |
| 2    | As Built Drawings, Testing and Commissioning of 33 kV bay in   | LS   | 1.00     |                             |                           |                             |                           |  |
|      | source substation as per the scope of the project.   | LS   | 1.00     |                             |                           | -                           | -                         |  |
| 2    | Preconstruction Survey, Design and Drawings of 33 kV tap   | LS   | 2.00     |                             |                           |                             |                           |  |
| 3    | off/LILO point as per the scope of the project.  | LS   | 2.00     |                             |                           | -                           | -                         |  |
|      | As Built Drawings, Testing and Commissioning of 33 kV tap  | LS   | 2.00     |                             |                           |                             |                           |  |
| 4    | off/LILO point in substation as per the scope of the project.  | LO   | 2.00     |                             |                           |                             | _                         |  |

Signature of Tenderer\_



4-A-38 Section 4: Tender Forms

### **Nepal Electricity Authority**

### Distribution and Consumer Services Directorate

### Distribution System Upgrade and Expansion Project

### Schedule of Rates and Prices

Schedule No. 3: Design Services (Excluding VAT applicable in Employer's Country)

FC: USD

|      |  |      |          | Unit                        | Price                     | Total Price                 |                           |  |
|------|--|------|----------|-----------------------------|---------------------------|-----------------------------|---------------------------|--|
| Item | Description  | Unit | Quantity | Foreign Currency<br>Portion | Local Currency<br>Portion | Foreign Currency<br>Portion | Local Currency<br>Portion |  |
| 1    | 2  | 3    | 4        | 5                           | 6                         | 7 = 4 x 5                   | 8 = 4 x 6                 |  |
| C.   | 33 kV Line   |      |          |                             |                           | -                           | -                         |  |
| 1    | lper the scope of the project  | kms  | 27.00    |                             |                           | -                           | -                         |  |
| 2    | As Built Drawings, Testing and Commissioning of 33 kV Line as per the scope of the project   | kms  | 27.00    |                             |                           | -                           | -                         |  |
| D.   | Under Ground Cable   |      |          |                             |                           | -                           | -                         |  |
|      | Preconstruction Survey, Design and Drawings of 33 kV U/G Cable as per the scope of the project                                       | kms  | -        |                             |                           | -                           | -                         |  |
|      | As Built Drawings, Testing and Commissioning of 33 kV U/G Cable as per the scope of the project                                      | kms  | -        |                             |                           | -                           | -                         |  |
|      | Preconstruction Survey, Design and Drawings of roads to be constructed after installation of Underground Cable                       | kms  | -        |                             |                           | -                           | -                         |  |
| 4    | As Built Drawings, Commissioning of roads to be constructed after installation of Underground Cable as per the scope of the project. | kms  | -        |                             |                           | -                           | -                         |  |

| Name of Tenderer      |  |
|-----------------------|--|
|                       |  |
| Signature of Tenderer |  |



# Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project Schedule of Rates and Prices

Summary of Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

FC: USD

| Schedule No. | Title -   | Total            | Price          |
|--------------|---|------------------|----------------|
| Schedule No. | Title   | Foreign Currency | Local Currency |
| A.           | SUBSTATION  |                  |                |
| A.1          | Civil Works of Switchyard Components - Concrete Foundation as per technical         | _                | _              |
| <b>7</b> . i | specifications and approved design  |                  |                |
| A.2          | Installation Testing and Commissioning Works of Electrical Components of Substation | -                | -              |
| A.3          | Landscaping Works   | -                | -              |
| A.4          | Building Works  | -                | -              |
| A.5          | Roads and Drainage  | -                | -              |
|              | Sub Total A. Substation   | -                | -              |
| B.           | 33 kV FEEDER / TAP OFF STRUCTURE  | -                |                |
| B.1          | Civil Works of Interconnection Components - Concrete Foundation as per technical    |                  |                |
| D. I         | specifications and approved design/drawings   | -                |                |
| B.2          | Installation Testing and Commissioning Works of Electrical Components of 33 kV      | _                | _              |
| D.Z          | feeder/Tap Off Structure  |                  |                |
|              | Sub Total B. 33 kV Feeder / Tap Off Structure                                       | -                |                |
| C.           | 33 kV LINE  |                  |                |
| D.1          | Installation, Testing and Commissioning Works and Civil Works                       | -                | -              |
| D.           | UNDERGROUND CABLE   |                  |                |
| D.1          | Installation, Testing and Commissioning Works and Civil Works                       | -                | -              |
| E.           | Environment, Social Corporate Responsibility Works                                  |                  |                |
| E.1          | Mitigation Works  | -                |                |
|              | Grand Total to be carried forward to Schedule 5                                     | -                | -              |

| Name of Tenderer |  |
|------------------|--|
|                  |  |
|                  |  |





4-A-40 Section 4: Tender Forms

### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|        |  |         |                           | Quantity                 |                  |                | Unit Price, Local Currency |                          |                  | Total Price      |
|--------|--|---------|---------------------------|--------------------------|------------------|----------------|----------------------------|--------------------------|------------------|------------------|
| Item   | Description  | Unit    | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya)  | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency   |
| 1      | 2  | 3       |                           | 4                        |                  | 5 = Σ4         |                            | 6                        | ·                | 7 = Σ(π(4 x 6))  |
| '      | 2  | 3       | Α                         | В                        | С                | 5 - 24         | Α                          | В                        | С                | 7 – 2(11(4 x 6)) |
| A.     | SUBSTATION   |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | Civil Works of Switchyard and Substation Components -                  |         |                           |                          |                  |                |                            |                          |                  |                  |
| A.1    | Concrete Foundation as per technical specifications and                |         |                           |                          |                  | -              |                            |                          |                  | -                |
|        | approved design/drawings   |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | Equipment Support Pedestals for Switchyard Components,                 |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | including Gantries, Current Transformer (CT), Potential                |         |                           |                          |                  |                |                            |                          |                  |                  |
| A.1.1  | Transformer (PT), Lightning Arrestor (LA), Power Transformer,          |         |                           |                          |                  | _              |                            |                          |                  | _                |
| ,      | Station Transformer, Disconnecting Switches with Earth                 |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | Switch, Post Insulator (PI), BUS PI, Lightning Mast (LM), etc.         |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | all complete   |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | Earthwork Excavation by means of mechnical in all types of soil        |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | (soil/gravel/ BMS) as per drawing and technical specifications         | cu.m    | 197.97                    | 197.97                   | 197.97           | 593.92         |                            |                          |                  | _                |
|        | including removal of stumps and other deleterious matter, all lifts    |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | and lead as per drawing and instruction of the engineer.               |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | Providing and laying of plain cement concrete (PCC Work) M10           |         |                           | 7.44                     |                  | 00.00          |                            |                          |                  |                  |
|        | ,                                | cu.m    | 7.44                      | 7.44                     | 7.44             | 22.33          |                            |                          |                  | -                |
|        | technical specifications.  |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | Providing and laying of reinforcd cement concrete (RCC Work)           |         |                           |                          |                  | 407.50         |                            |                          |                  |                  |
|        | 3 M15 (manual mixed) in foundation complete as per drawing and         | cu.m    | 55.85                     | 55.85                    | 55.85            | 167.56         |                            |                          |                  | -                |
|        | technical specifications.  |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | Providing and laying MS Reinforcement including cutting, bending,      | 4       | 4.40                      | 4.40                     | 4 40             | 40.00          |                            |                          |                  |                  |
|        | binding, fixing in position etc. all complete as per specification and | ton     | 4.43                      | 4.43                     | 4.43             | 13.28          |                            |                          |                  | -                |
|        | drawing.   |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | Providing, preparing and installation of form work including           |         | 007.00                    | 007.00                   | 007.00           | 740.00         |                            |                          |                  |                  |
|        | 5 necessary supports and removing after completion for structure       | sq.m    | 237.66                    | 237.66                   | 237.66           | 712.99         |                            |                          |                  | -                |
|        | according to drawings and hauling up to 30 m distance.                 |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | Back filling in layers in foundationpits, trenches , etc,              | cu.m    | 134.68                    | 134.68                   | 134.68           | 404.03         |                            |                          |                  | _                |
|        | includingcompaction all complete with watering                         |         |                           |                          |                  |                |                            |                          |                  |                  |
| A.1.2  | Cable Trench   |         |                           |                          |                  | -              |                            |                          |                  | -                |
| A. 1.2 | Earthwork Excavation by means of mechnical in all types of soil        |         |                           |                          |                  | -              |                            |                          |                  | -                |
|        | (soil/gravel/ BMS) as per drawing and technical specifications         |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | including removal of stumps and other deleterious matter, all lifts    | cu.m    | 48.90                     | 48.90                    | 48.90            | 146.70         |                            |                          |                  | -                |
|        | and lead as per drawing and instruction of the engineer.               |         |                           |                          |                  |                |                            |                          |                  |                  |
| -      | Providing and laying of plain cement concrete (PCC Work) M10           |         |                           |                          |                  |                |                            |                          |                  |                  |
|        |  | cu.m    | 4.00                      | 4.00                     | 4.00             | 12.00          |                            |                          |                  | _                |
|        | technical specifications.  | Cu.iii  | 7.00                      | 4.00                     | 4.00             | 12.00          |                            |                          |                  | _                |
|        | Providing and laying of reinforcd cement concrete (RCC Work)           |         |                           |                          |                  |                |                            |                          |                  |                  |
|        |  | cu.m    | 15.95                     | 15.95                    | 15.95            | 47.85          |                            |                          |                  | _                |
|        | technical specifications.  | Ju. 111 | 10.90                     | 10.90                    | 10.90            | 77.00          |                            |                          |                  | _                |
|        | Providing and laying of reinforcd cement concrete (RCC Precast         |         |                           |                          |                  |                |                            |                          |                  |                  |
|        | 4 Slab Work) M15 (manual mixed) in foundation complete as per          | cu.m    | 2.31                      | 2.31                     | 2.31             | 6.93           |                            |                          |                  | _                |
|        | drawing and technical specifications.                                  | -       | 2.51                      | 2.51                     | 2.01             | 0.90           |                            |                          |                  |                  |
|        | jurawing and technical specifications.                                 |         |                           | ļ                        |                  | 1              | 1                          | 1                        |                  | <u> </u>         |



### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|       |  |        |                           | Quantity                 |                  |                |                           | Unit Price, Local Curre  | ncy              | Total Price      |
|-------|--|--------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|------------------|
| Item  | Description  | Unit   | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency   |
| 4     | 2  | 2      |                           | 4                        |                  | 5 = Σ4         |                           | 6                        |                  | 7 = Σ(π(4 x 6))  |
| I I   | 2  | "      | Α                         | В                        | С                | 5 - 24         | Α                         | В                        | С                | 7 - 2(11(4 x 6)) |
|       | Providing and laying MS Reinforcement including cutting, bending,      |        |                           |                          |                  |                |                           |                          |                  |                  |
| 5     | binding, fixing in position etc. all complete as per specification and | ton    | 1.43                      | 1.43                     | 1.43             | 4.28           |                           |                          |                  | -                |
|       | drawing.   |        |                           |                          |                  |                |                           |                          |                  |                  |
| ı n   | Supply and fixing of cable holding Galvanized M.S. angle bracket       | m      | 41.00                     | 41.00                    | 41.00            | 123.00         |                           |                          |                  | _                |
|       | as per drawing   |        | 11.00                     | 11.00                    | 11.00            |                |                           |                          |                  |                  |
| 1.10  |  |        |                           |                          |                  | -              |                           |                          |                  | -                |
| A.1.3 | Grounding System   |        |                           |                          |                  | -              |                           |                          |                  | -                |
| 1 .   | Providing and laying of plain/reinforcd cement concrete M15            |        |                           |                          |                  |                |                           |                          |                  |                  |
|       | (manual mixed) in for Switchyard Lightning Protection System,          | cu.m   | 40.50                     | 40.50                    | 40.50            | 121.50         |                           |                          |                  | -                |
|       | Earthing arrangement as essential in the substation all complete       |        |                           |                          |                  |                |                           |                          |                  |                  |
|       |  |        |                           |                          |                  | -              |                           |                          |                  | -                |
| A.1.4 | Illumination System  |        |                           |                          |                  | -              |                           |                          |                  | -                |
|       | Concrete required for Switchyard and Substation yard lighting with     |        |                           |                          |                  |                |                           |                          |                  |                  |
| I .   | ,  | cu.m   | 5.11                      | 5.11                     | 5.11             | 15.33          |                           |                          |                  | -                |
|       | switchyard, as per site conditions all complete                        |        |                           |                          |                  |                |                           |                          |                  |                  |
|       |  |        |                           |                          |                  | -              |                           |                          |                  | -                |
|       | Miscellaneous  |        |                           |                          |                  | -              |                           |                          |                  | -                |
|       | Surface dressing with Crushed Stone including antiweed treatment       | cu.m   | 4.00                      | 4.00                     | 4.00             | 12.00          |                           |                          |                  | _                |
|       | as per TS & approved design all complete                               | 04.111 | 7.00                      | 7.00                     | 4.00             | 12.00          |                           |                          |                  |                  |

Name of Tenderer

Signature of Tenderer\_\_\_\_\_



4-A-42 Section 4: Tender Forms

### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|              |   |      |                           | Quantity                 |                  |                  |                           | Unit Price, Local Cu     | rrency           | Total Price                   |
|--------------|---|------|---------------------------|--------------------------|------------------|------------------|---------------------------|--------------------------|------------------|-------------------------------|
| Item         | Description   | Unit | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity   | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency                |
| 1            | 2   | 3    |                           | 4                        |                  | 5 = Σ4           |                           | 6                        |                  | $7 = \Sigma(\pi(4 \times 6))$ |
|              |   |      | Α                         | В                        | С                | V-2 <del>4</del> | Α                         | В                        | С                | 7 - 2(11(4 X 0))              |
| A.           | SUBSTATION  |      |                           |                          |                  |                  |                           |                          |                  |                               |
| A.2          | Installation Testing and Commissioning Works of Electrical Components of Substation   |      |                           |                          |                  | -                |                           |                          |                  | -                             |
| A.2.1        | Power Transformers  |      |                           |                          |                  | -                |                           |                          |                  | -                             |
| 1            | 33/11 kV 12/16 MVA copper wound power transformer, CRGO core (with OLTC and RTCC Panel) complete with all accessories           | set  | -                         | -                        | -                | -                |                           |                          |                  | -                             |
| _            | 33/11 kV 6/8 MVA copper wound power transformer CRGO core   | 4    |                           |                          |                  |                  |                           |                          |                  |                               |
| 2            | (with OLTC and RTCC Panel) complete with all accessories  | set  | -                         | -                        | -                | <del>-</del>     |                           |                          |                  | -                             |
| 3            |   | set  | 1.00                      | 1.00                     | 1.00             | 3.00             |                           |                          |                  | -                             |
|              | 33/11 kV 1 MVA copper wound power transformer, CRGO core  | set  | -                         | -                        | -                | -                |                           |                          |                  | -                             |
|              |   |      |                           |                          |                  | -                |                           |                          |                  | -                             |
| A.2.2        | 36 kV System  |      |                           |                          |                  | -                |                           |                          |                  |                               |
| 1            | 36 kV, 630 A, 25 kA Outdoor Type, Vacuum Circuit Breaker with Accessories all Complete  | set  | 3.00                      | 3.00                     | 3.00             | 9.00             |                           |                          |                  | -                             |
| 2            | 36 kV, 630 A, 25 kA, isolator with earth switch including accessories all complete  | set  | 6.00                      | 6.00                     | 6.00             | 18.00            |                           |                          |                  | -                             |
| 3            |   | set  | -                         | -                        | -                | -                |                           |                          |                  | -                             |
|              | 36 kV, 4 A, Load Break Switch with accessories all complete   | set  | 1.00                      | 1.00                     | 1.00             | 3.00             |                           |                          |                  | -                             |
|              | Two Core Potential Transformer for 33 kV including fuse with  |      |                           |                          |                  |                  |                           |                          |                  |                               |
| 5            | accessories all complete as specified   | set  | 3.00                      | 3.00                     | 3.00             | 9.00             |                           |                          |                  | -                             |
| 6            | Three Core Current Transformer for 33 kV with accessories all complete as specified   | set  | 3.00                      | 3.00                     | 3.00             | 9.00             |                           |                          |                  | -                             |
| 7            | Two Core Bushing CT for 33/11 kV Power Transformer with accessories all complete as specified.                                  | set  | -                         | -                        | -                | -                |                           |                          |                  | -                             |
| 8            | Two Core CT for neutral side of 33/11 kV Power Transformer with   | set  | 1.00                      | 1.00                     | 1.00             | 3.00             |                           |                          |                  | -                             |
| ç            |   | set  | 4.00                      | 4.00                     | 4.00             | 12.00            |                           |                          |                  | -                             |
|              | 33kV Outdoor Busbar (IPS tube, 800A) with required insulators and accessories as well as any cables necessary in 33 kV side all | set  | 1.00                      | 1.00                     | 1.00             | 3.00             |                           |                          |                  | -                             |
| 11           | complete 33/11 kV Transformer Control and Protection Panel complete with all accessories as per specification                   | set  | 1.00                      | 1.00                     | 1.00             | 3.00             |                           |                          |                  | -                             |
|              | 33 kV Protection Control and Relay Panel complete with all  | set  | 2.00                      | 2.00                     | 2.00             | 6.00             |                           |                          |                  | -                             |
| 13           | Marshalling Kiosk Box with Accessories all Complete (1 set refers   | set  | 1.00                      | 1.00                     | 1.00             | 3.00             |                           |                          |                  | -                             |
| A 0 0        |   |      |                           |                          |                  | -                |                           |                          |                  | -                             |
| <b>A.2.3</b> | 12 kV System 12 kV Indoor VCB, with Control and Relay Panel and CT / PT with  | set  | 5.00                      | 5.00                     | 5.00             | 15.00            |                           |                          |                  | -                             |
|              | accessories all complete as specified   |      | 0.50                      | 0.50                     | 0.00             | 10.00            |                           |                          |                  |                               |
|              | specified   | set  | 4.00                      | 4.00                     | 4.00             | 12.00            |                           |                          |                  | -                             |
| 3            | 9 kV, 10 kA, lighting arrestor with accessories all complete  | set  | 5.00                      | 5.00                     | 5.00             | 15.00            |                           |                          |                  | -                             |
|              |   |      |                           |                          |                  | -                |                           |                          |                  | -                             |



## Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|       |  |      |                           | Quantity                 |                  |                |                           | Total Price                                      |                  |                               |
|-------|--|------|---------------------------|--------------------------|------------------|----------------|---------------------------|--|------------------|-------------------------------|
| Item  | Description  | Unit | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya) | Unit Price, Local Cu<br>Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency                |
| 1     | 2  | 3    |                           | 4                        |                  | 5 = Σ4         |                           | 6  |                  | $7 = \Sigma(\pi(4 \times 6))$ |
| 1     | 2  | 3    | Α                         | В                        | С                | 5 = 24         | Α                         | В  | С                | 7 = Z(11(4 x 6))              |
| A.2.4 | Station Supply System  |      |                           |                          |                  | -              |                           |  |                  | -                             |
| 1     | 33/0.4 kV 100 kVA station transformer  | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |  |                  | -                             |
| 2     | inside the substation)   | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |  |                  | -                             |
| 3     | Portable Diesel Generator, 10 kVA, 400 V including grid interconnection setup, relay, control units and associated panels, as per specifications   | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |  |                  | -                             |
| A.2.5 | DC System  |      |                           |                          |                  | -              |                           |  |                  | -                             |
| A.Z.3 | 250 Ab. 110 V maintenance free batteries including complete  | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |  |                  | -                             |
| 2     | Battery Charging unit (110 V) with accessories all complete  | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |  |                  | -                             |
| 3     | DC Distribution System including accessories all complete as per specifications(1 set includes complete lot for substation)  | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |  |                  | -                             |
|       |  |      |                           |                          |                  | -              |                           |  |                  | -                             |
|       | Cables   |      |                           |                          |                  | -              |                           |  |                  | -                             |
|       | 11 kV XLPE Cable 3 Core 300 sq mm (Armoured)   | m    | 25.00                     | 25.00                    | 25.00            | 75.00          |                           |  |                  | -                             |
|       | 2 11 kV XLPE Cable 3 Core 185 sq mm (Armoured)   | m    | 100.00                    | 100.00                   | 100.00           | 300.00         |                           |  |                  | -                             |
|       | 3 11 kV XLPE Cable 3 Core 120 sq mm (Armoured)   | m    | -                         | -                        | -                | -              |                           |  |                  | -                             |
|       | 11 kV 3-core heat shrinkable Indoor Cable termination kit 185/300/120 sq mm  | set  | 5.00                      | 5.00                     | 5.00             | 15.00          |                           |  |                  | -                             |
| 5     | 185/120 sq mm  | set  | 5.00                      | 5.00                     | 5.00             | 15.00          |                           |  |                  | -                             |
| 6     | Control cables including accessories complete (1 set includes source bay and destination bay together)(1 set includes complete lot for substation)   | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |  |                  | -                             |
| 7     | 1.1 kV power and lighting cable, including DC circuitry for all works in the switchyard, outdoor lighting, beauty lighting all complete (1 set includes complete lot for substation)           | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |  |                  | -                             |
| 407   | Automation and Control Systems COADA   |      | -                         |                          |                  | -              |                           |  |                  | -                             |
| A.2.7 | Automation and Control System - SCADA SCADA/ Automation Integration, Numerical relay cum Bay   |      | -                         |                          |                  | -              |                           |  |                  | -                             |
| 1     | controller with other indicative/measuring instruments. SCADA system shall communicate with C & R panels, Bay Control Units of 33 kV Feeder, 11kV switchgear panel, battery charger, ACDB etc. | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |  |                  | -                             |
| 2     | Desktop, ig. 10th generation or equivalent with 512 GR SSD and 1   | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |  |                  | -                             |
| 3     | Laptop, with same configuration as desktop and 15 " screen   | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |  |                  | -                             |

| Name of Tenderer |  |
|------------------|--|
|                  |  |



Signature of Tenderer\_\_\_\_\_


4-A-44 Section 4: Tender Forms

### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

|        |   |      |                           | Quantity                 |                  |                |                           | Unit Price, Local Curr   | ency             | Total Price      |
|--------|---|------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|------------------|
| Item   | Description   | Unit | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency   |
| 4      | 2   | 3    |                           | 4                        |                  | 5 = Σ4         |                           | 6                        |                  | 7 = Σ(π(4 x 6))  |
| 1      | 2   | 3    | A                         | В                        | С                | 5 = 24         | Α                         | В                        | С                | 7 = 2(11(4 x 6)) |
|        |   |      | -                         |                          |                  | -              |                           |                          |                  | -                |
| A.2.8  | Grounding System  |      | -                         |                          |                  | -              |                           |                          |                  | -                |
| 1      | Switchyard Lightning Protection System, Earthing arrangement, Including protection for Control building and other structures inside the substation area as essential in the substation all complete(1 set includes complete lot for substation) | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | -                |
| 2      | Lightning Mast  | ton  | 0.07                      | 0.07                     | 0.07             | 0.21           |                           |                          |                  | -                |
|        |   |      | -                         |                          |                  | -              |                           |                          |                  | -                |
| A.2.9  | Illumination System   |      | -                         |                          |                  | -              |                           |                          |                  | -                |
| 1      | Switchyard and Substation yard lighting with 36 W, IP 65 LED with at least 20 lux elsewhere and 200 lux at switchyard, as per site conditions all complete(1 set includes complete lot for substation)  | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | -                |
|        |   |      | -                         |                          |                  | -              |                           |                          |                  | -                |
| A.2.10 | Outdoor Gantry and Support Structures   |      | -                         |                          |                  | -              |                           |                          |                  | -                |
| 1      | Gantry Column, Support Structures, Girder structures for 33/11 kV substation, all complete as per specifications for each sub-project   | ton  | 6.44                      | 6.44                     | 6.44             | 19.32          |                           |                          |                  | -                |
| 2      | Chequered Plate for Cable Trench in Control Building of thickness as mentioned in Technical Specification with accessories all complete as for specifications   | ton  | 0.67                      | 0.67                     | 0.67             | 2.00           |                           |                          |                  | -                |
|        |   |      |                           |                          |                  | -              |                           |                          |                  | -                |
|        | 11 kV Overhead Line Feeder Components   |      | -                         |                          |                  | -              |                           |                          |                  | -                |
|        | 9 kV, 10 kA, Pole Mounted lighting arrestor with accessories all complete   | set  | 4.00                      | 4.00                     | 4.00             | 12.00          |                           |                          |                  | -                |
| 2      | Pole Mounted Isolator, for 11 kV with accessories all complete  | set  | 4.00                      | 4.00                     | 4.00             | 12.00          |                           |                          |                  | -                |





## Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|       |  |        |                           | Quantity                 |                  |                | Unit Price, Local Currency |                          |                  | Total Price                   |
|-------|--|--------|---------------------------|--------------------------|------------------|----------------|----------------------------|--------------------------|------------------|-------------------------------|
| Item  | Description  | Unit   | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya)  | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency                |
| 1     | 2  | 3      |                           | 4                        |                  | 5 = Σ4         |                            | 6                        |                  | $7 = \Sigma(\pi(4 \times 6))$ |
| '     | 2  |        | Α                         | В                        | С                | 5 - 24         | Α                          | В                        | С                | 7 - 2(11(4 X 0))              |
| A.    | SUBSTATION   |        |                           |                          |                  |                |                            |                          |                  |                               |
|       | Landscaping Works  |        |                           |                          |                  | -              |                            |                          |                  | -                             |
|       | Site Levelling   |        |                           |                          |                  | -              |                            |                          |                  | -                             |
| 1     | Earth work in cutting including site clearing and contour survey work                                    | cu.m   | 7,000.00                  | 20,000.00                | 36,000.00        | 63,000.00      |                            |                          |                  | -                             |
|       | Earth work in Filling and in filling with borrowed earth including site clearing and contour survey work | cu.m   | 1,000.00                  | 500.00                   | 500.00           | 2,000.00       |                            |                          |                  | -                             |
|       | Boundary Wall  |        |                           |                          |                  | -              |                            |                          |                  | -                             |
|       | Earth work in cutting & Filling and in filling with borrowed earth                                       |        | 055.05                    | 404.07                   | 470.00           | 4 400 05       |                            |                          |                  |                               |
| 1     | including site clearing and levelling  | cu.m   | 255.65                    | 434.87                   | 479.33           | 1,169.85       |                            |                          |                  | -                             |
| 2     | Earthwork in backfilling   | cu.m   | 51.13                     | 86.97                    | 95.87            | 233.97         |                            |                          |                  | -                             |
|       | Stone soling and finishing upto approved level, line and dimension                                       |        | 3.93                      | 6.69                     | 7.37             | 18.00          |                            |                          |                  | -                             |
|       | Supplying mixing, placing, compacting M15 plain cement concrete  |        | 0.00                      | 0.00                     | 1.01             |                |                            |                          |                  |                               |
| 4     | for foundation bases, brick wall top (copping) and stone masonary  | cu.m   | 29.05                     | 49.41                    | 54.47            | 132.93         |                            |                          |                  | -                             |
|       | top (copping).   |        |                           |                          |                  |                |                            |                          |                  |                               |
|       | Providing and laying Random rubble masonry in 1:4 cement mortar  |        |                           |                          |                  |                |                            |                          |                  |                               |
| 5     | including scaffolding, curing,preparation of mortar etc.complete,  | cu.m   | 460.00                    | 782.50                   | 862.50           | 2,105.00       |                            |                          |                  | -                             |
|       | masoned height 0-5m, lead 30m (manual mixing)  |        |                           |                          |                  |                |                            |                          |                  |                               |
|       | Providing & laying First class chimney made brick masonry work in  |        |                           |                          |                  |                |                            |                          |                  |                               |
| 6     | wall with 1:4 cement sand mortar (1 cement : 4 sand) including   | cu.m   | 63.48                     | 107.99                   | 119.03           | 290.49         |                            |                          |                  |                               |
|       | lead upto 30 m with curing, cleaning & racking out mortar joint and                                      | Cu.iii | 03.40                     | 107.33                   | 113.03           | 290.49         |                            |                          |                  | _                             |
|       | making ducts, recesses where required as per drawing   |        |                           |                          |                  |                |                            |                          |                  |                               |
|       | Providing, laying & curing cement sand (1:4) Plastering on   |        |                           |                          |                  |                |                            |                          |                  |                               |
|       | external walls to perfect plumb, lines & level icluding raking the                                       |        |                           |                          |                  |                |                            |                          |                  |                               |
| 7     | mortar joints and wetting the masonry surface all complete as per  | sq.m   | 552.00                    | 939.00                   | 1,035.00         | 2,526.00       |                            |                          |                  | -                             |
|       | design drawings, specifications and instrcution of the site engineer                                     |        |                           |                          |                  |                |                            |                          |                  |                               |
|       | all complete:  |        |                           |                          |                  |                |                            |                          |                  |                               |
| 0     | Chain link fencing as per technical specification and approved   | rm     | 184.00                    | 313.00                   | 345.00           | 842.00         |                            |                          |                  |                               |
|       | drawing but excluding concrete which shall be paid seperately  | 1111   | 104.00                    | 313.00                   | 345.00           | 042.00         |                            |                          |                  | -                             |
| A.3.4 | Main Entrance Gate   |        |                           |                          |                  | -              |                            |                          |                  | -                             |
|       | Earthwork in Excavation of all types of soil by mechanical means   |        |                           |                          |                  |                |                            |                          |                  |                               |
| 4     | as per drawing and technical specifications including removal of   | 011 m  | 10.13                     | 10.13                    | 10.13            | 30.38          |                            |                          |                  |                               |
| ı     | trees,grasses,stumps and other deleterious matter, all lifts and lead                                    | Cu.m   | 10.13                     | 10.13                    | 10.13            | 30.30          |                            |                          |                  | -                             |
|       | as per drawing and instruction of the engineer.  |        |                           |                          |                  |                |                            |                          |                  |                               |
| 2     | Dry flat brick soling works  | cu.m   | 1.01                      | 1.01                     | 1.01             | 3.04           |                            |                          |                  | -                             |
|       | Providing and laying of plain/reinforcd cement concrete M15  |        |                           |                          |                  |                |                            |                          |                  |                               |
| 3     | (manual mixed) in foundation complete as per drawing and   | cu.m   | 0.51                      | 0.51                     | 0.51             | 1.52           |                            |                          |                  | -                             |
|       | technical specifications.  |        |                           |                          |                  |                |                            |                          |                  |                               |
|       | Providing and laying of plain/reinforced cement concrete M25   |        |                           |                          |                  |                |                            |                          |                  |                               |
| 4     | (machine mixed) in foundation complete as per drawing and  | cu.m   | 4.79                      | 4.79                     | 4.79             | 14.37          |                            |                          |                  | -                             |
|       | technical specifications.  |        |                           |                          |                  |                |                            |                          |                  |                               |
|       | Providing and laying Reinforcement including cutting, bending,   |        |                           |                          |                  |                |                            |                          |                  |                               |
| 5     | binding, fixing in position etc. all complete as per specification and                                   | ton    | 0.38                      | 0.38                     | 0.38             | 1.13           |                            |                          |                  | _                             |
|       | drawing.   |        |                           |                          |                  |                |                            |                          |                  |                               |
|       |  | -      |                           |                          |                  |                |                            | -                        | -                |                               |

| Name of Tenderer |  |
|------------------|--|
|                  |  |

Single-Stage: Two-Envelope

Signature of Tenderer\_



4-A-46 Section 4: Tender Forms


### Nepal Electricity Authority

### Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

|      |  | Quantity |                           |                          |                  |                | Unit Price, Local Cur     | rency                    | Total Price      |                               |
|------|--|----------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|-------------------------------|
| Item | Description  | Unit     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency                |
| 4    | 2  | 2        |                           | 4                        |                  | 5 = Σ4         |                           | 6                        |                  | $7 = \Sigma(\pi(4 \times 6))$ |
| '    | 2  | "        | Α                         | В                        | С                | 5 - 24         | Α                         | В                        | С                | 7 - 2(11(4 x 6))              |
|      | Providing, preparing and installation of form work including         |          |                           |                          |                  |                |                           |                          |                  |                               |
| 6    | necessary supports and removing after completion for structure       | sq.m     | 30.06                     | 30.06                    | 30.06            | 90.18          |                           |                          |                  | -                             |
|      | according to drawings and hauling up to 30 m distance.               |          |                           |                          |                  |                |                           |                          |                  |                               |
| 7    | Providing, and installation all complete of metal gate as per TS and | nos      | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | _                             |
|      | drawings   | 1105.    | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | -                             |
|      |  |          |                           |                          |                  | -              |                           |                          |                  | -                             |
|      | Switchyard Fencing   |          |                           |                          |                  | -              |                           |                          |                  | -                             |
|      | Chain link fencing as per technical specification and approved       | rm       | 94.50                     | 94.50                    | 94.50            | 283.50         |                           |                          |                  | _                             |
|      | drawing but excluding concrete which shall be paid seperately        |          |                           |                          |                  |                |                           |                          |                  | _                             |
|      | <u> </u>   | Nos.     | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | -                             |
|      | Miscellaneous Works in Switchyard                                    |          |                           |                          |                  | -              |                           |                          |                  | -                             |
|      | Stone spreading including antiweed treatment in switchyard but       | sq.m     | 28.60                     | 28.60                    | 28.60            | 85.80          |                           |                          |                  | _                             |
|      | excluding PCC.   | 04.111   | 20.00                     | 20.00                    | 20.00            | 00.00          |                           |                          |                  |                               |
|      | Providing and laying 75mm thick Plain Cement Concrete 1:5:10 (1      | cu.m     | 19.31                     | 19.31                    | 19.31            | 57.92          |                           |                          |                  | _                             |
|      | cement : 5 sand : 10 Stone aggregate)                                |          | 10.01                     | 10.01                    | 10.01            | 07.02          |                           |                          |                  |                               |
|      |  |          |                           |                          |                  | -              |                           |                          |                  | -                             |





## Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|       |   |            |                           | Quantity                 |                      |                      | Unit Price, Local Currency |                          |                  | Total Price                   |
|-------|---|------------|---------------------------|--------------------------|----------------------|----------------------|----------------------------|--------------------------|------------------|-------------------------------|
| Item  | Description   | Unit       | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti     | Total Quantity       | Sigas Surnaiya<br>(Musya)  | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency                |
| 1     | 2   | 3          |                           | 4                        |                      | 5 = Σ4               |                            | 6                        |                  | $7 = \Sigma(\pi(4 \times 6))$ |
| '     |   |            | Α                         | В                        | С                    | J - 24               | Α                          | В                        | С                | 7 - 2(II(4 X 0))              |
| A.4   | Building Works  |            |                           |                          |                      |                      |                            |                          |                  |                               |
| A.4.1 | Site Clearance works  |            |                           |                          |                      | -                    |                            |                          |                  | -                             |
| 1     | Clearing and grubbing including uprooting rank vegetation, grass, bushes, shrubs, saplings and trees girth upto 300mm, removal of stumps of trees cut earlier and disposal of unserviceable materials amd stacking of serviceable material to be used or auctioned upto a lead of 30m | sqm        | 623.23                    | 623.23                   | 623.23               | 1,869.69             |                            |                          |                  | -                             |
| A.4.2 | Earthworks  |            |                           |                          |                      | -                    |                            |                          |                  | -                             |
| 1     | Earthwork in Excavation of all types of soil by mechanical means as per drawing and technical specifications including removal of trees, grasses, stumps and other deleterious matter, all lifts and lead as per drawing and instruction of the engineer.                             | cum        | 578.92                    | 578.92                   | 578.92               | 1,736.75             |                            |                          |                  | -                             |
| 2     | Back filling in layers in foundation pits, trenches, etc, with approved soil obtained from the excavation at site and stacked at site or brought from outside in layer including compaction all complete with watering  | cum        | 400.08                    | 400.08                   | 400.08               | 1,200.24             |                            |                          |                  | -                             |
| A.4.3 | Concrete Works  |            |                           |                          |                      | -                    |                            |                          |                  | -                             |
| 1     | technical specifications.   | cum        | 253.46                    | 253.46                   | 253.46               | 760.37               |                            |                          |                  | -                             |
| 2     | technical specifications.   | cum        | 320.48                    | 320.48                   | 320.48               | 961.44               |                            |                          |                  | -                             |
| 3     | Providing and laying Reinforcement including cutting, bending, binding, fixing in position etc. all complete as per specification and drawing.  | ton        | 50.32                     | 50.32                    | 50.32                | 150.95               |                            |                          |                  | -                             |
|       | according to drawings and hauling up to 30 m distance.  | sqm        | 1,557.58                  | 1,557.58                 | 1,557.58             | 4,672.75             |                            |                          |                  | -                             |
|       | Brick Works   |            |                           |                          |                      | -                    |                            |                          |                  | -                             |
| 1     | Dry flat brick soling works   | sqm        | 762.17                    | 762.17                   | 762.17               | 2,286.50             |                            |                          |                  | -                             |
| 2     | Providing & laying First class chimney made brick masonry work in Foundation with 1:6 cement sand mortar including lead upto 30 m with curing, cleaning & racking out mortar joint and making ducts, recesses where required as per drawing   | cum        | 122.69                    | 122.69                   | 122.69               | 368.07               |                            |                          |                  | -                             |
|       | Providing & laying First class chimney made brick masonry work in Superstructure with 1:6 cement sand mortar including lead upto 30 m with curing, cleaning & racking out mortar joint and making ducts, recesses where required as per drawing                                       | cum        | 211.46                    | 211.46                   | 211.46               | 634.38               |                            |                          |                  | -                             |
|       | Finishing Works   |            |                           |                          | 0.00= 5:             | -                    |                            |                          |                  | -                             |
| 2     | Two coat, plastic emulsion, paint over one coat primer (Astar) on   | sqm<br>sqm | 2,067.51<br>1,503.47      | 2,067.51<br>1,503.47     | 2,067.51<br>1,503.47 | 6,202.52<br>4,510.40 |                            |                          |                  | -                             |

Name of Tenderer \_\_\_\_\_





4-A-48 Section 4: Tender Forms

### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|      |  |      |                           | Quantity                 |                  |                | Unit Price, Local Currency |                          |                  | Total Price                   |  |
|------|--|------|---------------------------|--------------------------|------------------|----------------|----------------------------|--------------------------|------------------|-------------------------------|--|
| Item | Description  | Unit | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya)  | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency                |  |
| 1    | 2  | 3    |                           | 4                        |                  | 5 = Σ4         |                            | 6                        |                  | $7 = \Sigma(\pi(4 \times 6))$ |  |
| •    | 2  |      | Α                         | В                        | С                | 5 - 24         | Α                          | В                        | С                | 7 - 2(11(4 x 6))              |  |
|      | Two coat of weather coating over one coat primer (Astar) on new surface  | sqm  | 564.04                    | 564.04                   | 564.04           | 1,692.12       |                            |                          |                  |                               |  |
|      |  | sqm  | 242.06                    | 242.06                   | 242.06           | 726.18         |                            |                          |                  | <u> </u>                      |  |
|      | Sal wood work for choukosh[0.1x0.075m section]   | cum  | 2.76                      | 2.76                     |                  | 8.27           |                            |                          |                  |                               |  |
|      | Flush shutter 38mm thick sal wood frame with 3mm thick teak  | sqm  | 87.79                     | 87.79                    | 87.79            | 263.36         |                            |                          |                  |                               |  |
| 7    | Providing, fabricating & fixing Windows and ventilation of Upvc frame using Upvc section with 5mm clear float glass, U-shaped  | sqm  | 74.63                     | 74.63                    | 74.63            | 223.88         |                            |                          |                  |                               |  |
| 8    | 3 x 20mm Metal Grill including manufacturing fitting painting with   | kg   | 1,058.11                  | 1,058.11                 | 1,058.11         | 3,174.33       |                            |                          |                  |                               |  |
| 9    | Providing, laying, compacting and curing average 38mm mm thick screed with 1:2:4 cement sand mortar in perfect lines & level in whole flooring as per design, specification and instruction of the site engineer.  | sqm  | 316.75                    | 316.75                   | 316.75           | 950.26         |                            |                          |                  |                               |  |
|      | Provide and laying 3 mm cement punning including cleaning, watering, curing the laid surface all complete as per instruction & specification.  | sqm  | 303.92                    | 303.92                   | 303.92           | 911.76         |                            |                          |                  |                               |  |
| 1.1  | cement sand mortar.  | sqm  | 63.87                     | 63.87                    | 63.87            | 191.60         |                            |                          |                  |                               |  |
| 12   | with rubbing a polish as per specifications all complete.  | sqm  | 15.80                     | 15.80                    | 15.80            | 47.39          |                            |                          |                  |                               |  |
|      | Providing and fixing non glazed ceramic tiles fixed on floors with 1: 4 Cement Sand Mortar in exact line & level all complete as per drawing specification & instruction.  | sqm  | 58.97                     | 58.97                    | 58.97            | 176.92         |                            |                          |                  |                               |  |
|      | Providing and laying non slippery tile of size 2'x2' in terraces and similar loactions all complete as per drawing, specification and instruction. (vitrified)   | sqm  | 167.07                    | 167.07                   | 167.07           | 501.21         |                            |                          |                  |                               |  |
|      | Providing, laying & curing 12.5 mm thick cement sand (1:4) plastering in ceiling, beams and column surfaces including chipping & wetting the concrete surfaces finished in perfect plumb, lines and level as per drawings, specifications and instructions of the site engineer. | sqm  | 270.55                    | 270.55                   | 270.55           | 811.64         |                            |                          |                  |                               |  |
| 16   | Providing, laying & curing cement sand (1:4) Plastering on internal walls to perfect plumb, lines & level icluding raking the mortar joints  | sqm  | 1,232.92                  | 1,232.92                 | 1,232.92         | 3,698.77       |                            |                          |                  |                               |  |

| Name of Tenderer |  |
|------------------|--|
|                  |  |



Signature of Tenderer\_

### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|       |  |      |                           | Quantity                 |                  |                |                           | Unit Price, Local Cui    | rrency           | Total Price      |
|-------|--|------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|------------------|
| Item  | Description  | Unit | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency   |
| 1     | 2  | 2    |                           | 4                        |                  | 5 = Σ4         | 6                         |                          |                  | 7 = Σ(π(4 x 6))  |
| '     |  |      | Α                         | В                        | С                | 5 - 24         | Α                         | В                        | С                | 7 - 2(11(4 x 0)) |
| 17    | Providing, laying & curing cement sand (1:4) Plastering on external walls to perfect plumb, lines & level icluding raking the mortar joints and wetting the masonry surface all complete as per design drawings, specifications and instrcution of the site engineer all complete: | sqm  | 564.04                    | 564.04                   | 564.04           | 1,692.12       |                           |                          |                  | -                |
| 18    | Providing and application of two coats of water-proofing coating (TAPELASTIC) on the RCC Terrace, share wall Slope Roof Sun-   | sqm  | 869.64                    | 869.64                   | 869.64           | 2,608.92       |                           |                          |                  | -                |
| A.4.6 | Miscelleneous Works  |      |                           |                          |                  | -              |                           |                          |                  | -                |
|       | Supplying and fitting of 50 dia. Grade 204 Stainless steel hand rail in 2.0 m. distance with 50mm dia. Railing post, 25mm dia. 3 line horizontal member in the center and height 0.90 m. all complete.   | rm   | 6.65                      | 6.65                     | 6.65             | 19.95          |                           |                          |                  | -                |
|       | Providing and fixing of rolling shutters as per specifications all complete.   | sqm  | 9.30                      | 9.30                     | 9.30             | 27.90          |                           |                          |                  | -                |
| 3     | Fire Extinguisher (6Kg NS or IS standard) with range of jet 6 m  | no   | 4.00                      | 4.00                     | 4.00             | 12.00          |                           |                          |                  | -                |
|       | Euroguard 7 Liters/min (max) wall mounted with water flow rate 0.25 L/min and purification capacity upto 15L/hr  | no   | 4.00                      | 4.00                     | 4.00             | 12.00          |                           |                          |                  | -                |
| 5     | complete   | sqm  | 405.90                    | 405.90                   | 405.90           | 1,217.70       |                           |                          |                  | -                |
| 6     | Plumbing, sanitation and related works including water faucets, valves, pipe, fittings, RCC underground tank, PVC 1000 Litre Overhead Tank, Pumps, and all applicable fittings all complete  | LS   | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | -                |



4-A-50 Section 4: Tender Forms

## Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|       |  |      |                           | Quantity                 |                  |                |                           | Unit Price, Local Cu     | irrency          | Total Price      |
|-------|--|------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|------------------|
| Item  | Description  | Unit | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency   |
| 1     | 2  | 3    |                           | 4                        |                  | 5 = Σ4         |                           | 6                        |                  | 7 = Σ(π(4 x 6))  |
|       | _  |      | Α                         | В                        | С                | <u> </u>       | Α                         | В                        | С                | 7 - Z(II(4 X 0)) |
| Α.    | SUBSTATION   |      |                           |                          |                  |                |                           |                          |                  |                  |
| A.5   | Roads and Drainage   |      |                           |                          |                  | -              |                           |                          |                  | -                |
| A.5.1 | Internal Roads   |      |                           |                          |                  | -              |                           |                          |                  | -                |
|       | including site clearing and levelling  | sq.m | 1,225.00                  | 1,225.00                 | 1,225.00         | 3,675.00       |                           |                          |                  | -                |
| 2     |  | sq.m | 1,225.00                  | 1,225.00                 | 1,225.00         | 3,675.00       |                           |                          |                  | -                |
| 3     | Providing and laying of hand pack stone soling with 250mm thick stones and packing with smaller stones on prepared surface as per drawing and technical specifications   | sq.m | 306.25                    | 306.25                   | 306.25           | 918.75         |                           |                          |                  | -                |
| 2     | Supplying mixing, placing, compacting plain cement concrete of M25 including admixture excluding the cost of reinforcement bars & formwork as per drawing, specification and instruction all complete.   | cu.m | 245.00                    | 245.00                   | 245.00           | 735.00         |                           |                          |                  | -                |
| Ę     | Centering and Shuttering of Plywood / Steel form work in slabs, walls, columns, lintel and beams including bracing and removal of formwork all complete as per drawing, specification & instruction. Providing and fixing in position Fe 500 steel reinforcement of  | sq.m | 140.00                    | 140.00                   | 140.00           | 420.00         |                           |                          |                  | -                |
|       | various diameter confirming to relevant IS code in R.C.C. works including straightening, cutting, bending, binding with 20 SWG annealed wire for tying the reinforcement bars at each junctions (binding wire shall not be measured separately) including all waste and cut pieces, provision for adequate numbers of spacers, chairs, providing and placing cement mortar (1:1) cover blocks to keep the bars in intended position at all levels all complete as per drawings, specifications and instruction of the the engineer. (Authorised lap length and for the bar length exceeding 10 meter in length shall be measured for the payment). | ton  | 1.92                      | 1.92                     | 1.92             | 5.77           |                           |                          |                  | -                |
| A.5.2 | Drainage   |      |                           |                          |                  | -              |                           |                          |                  | -                |
| ,     | Including site cleaning and levelling  | sq.m | 500.00                    | 500.00                   | 500.00           | 1,500.00       |                           |                          |                  | -                |
| 2     | dimensions as per instruction & specification complete work  | cu.m | 67.50                     | 67.50                    | 67.50            | 202.50         |                           |                          |                  | -                |
| 3     | Supplying mixing, placing, compacting of 100mm thick M15 plain cement concrete for foundation bases & floors lead upto 30m excluding the cost of formwork & reinforcement bars, as per drawing, specification & instruction all complete.  | cu.m | 45.00                     | 45.00                    | 45.00            | 135.00         |                           |                          |                  | -                |
| 4     | making ducts, recesses where required as per drawing   | cu.m | 138.00                    | 138.00                   | 138.00           | 414.00         |                           |                          |                  | -                |
|       | Providing and laying of 600mm dia hume pipe for drainage at road crossings as per specification and requirement at site, NP4   | rm   | 40.00                     | 40.00                    | 40.00            | 120.00         |                           |                          |                  | -                |

Name of Tenderer \_\_\_\_\_

Signature of Tenderer\_



### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|      | tem Description  |      | Quantity                  |                          |                  |                |                           | Total Price              |                  |                               |
|------|--|------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|-------------------------------|
| Item |  |      | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency                |
| 4    | 2  | ,    |                           | 4                        |                  | 5 = Σ4         |                           | 6                        |                  | $7 = \Sigma(\pi(4 \times 6))$ |
| '    | 2  | 3    | Α                         | В                        | С                | 5 - 24         | Α                         | В                        | С                | 7 - 2(11(4 X 0))              |
| 0    | Providing and laying of 600mm dia hume pipe for drainage at road crossings as per specification and requirement at site, NP3 | IIII | 20.00                     | 20.00                    | 20.00            | 60.00          |                           |                          |                  | -                             |
| 7    | Supplying and Erecting Dewatering Pumps - 0.5 HP or of required capacity   | nos. | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | -                             |



4-A-52 Section 4: Tender Forms

### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|          |   | Quantity |                           |                          |                  | Unit Price, Local Currency |                           |                          | Total Price      |                               |
|----------|---|----------|---------------------------|--------------------------|------------------|----------------------------|---------------------------|--------------------------|------------------|-------------------------------|
| Item     | Description   | Unit     | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity             | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency                |
| 1        | 2   | 3        |                           | 4                        |                  | 5 = Σ4                     |                           | 6                        | -                | $7 = \Sigma(\pi(4 \times 6))$ |
| '        | 2   | "        | Α                         | В                        | С                | 5 - 24                     | Α                         | В                        | С                | 7 - 2(11(4 X 0))              |
| B.       | 33 kV FEEDER / TAP OFF STRUCTURE  |          |                           |                          |                  |                            |                           |                          |                  |                               |
|          | Civil Works of Interconnection Components - Concrete  |          |                           |                          |                  |                            |                           |                          |                  |                               |
| B.1      | Foundation as per technical specifications and approved   |          |                           |                          |                  | -                          |                           |                          |                  | -                             |
|          | design/drawings   |          |                           |                          |                  |                            |                           |                          |                  |                               |
|          | Equipment Support Pedestals for Switchyard Components,  |          |                           |                          |                  |                            |                           |                          |                  |                               |
| D 4 4    | including Gantries, Current Transformer (CT), Potential   |          |                           |                          |                  |                            |                           |                          |                  |                               |
| B.1.1    | Transformer (PT), Lightning Arrestor (LA), Disconnecting  |          |                           |                          |                  | -                          |                           |                          |                  | -                             |
|          | Switches with Earth Switch, Post Insulator (PI), BUS PI,  |          |                           |                          |                  |                            |                           |                          |                  |                               |
|          | Lightning Mast (LM), etc. all complete  Earthwork Excavation by means of mechnical in all types of soil |          |                           |                          |                  |                            |                           |                          |                  |                               |
|          | (soil/gravel/ BMS) as per drawing and technical specifications  |          |                           |                          |                  |                            |                           |                          |                  |                               |
| 1        | including removal of stumps and other deleterious matter, all lifts                                     | cu.m     | -                         | -                        | 44.14            | 44.14                      |                           |                          |                  | -                             |
|          | and lead as per drawing and instruction of the engineer.  |          |                           |                          |                  |                            |                           |                          |                  |                               |
|          | Providing and laying of plain cement concrete (PCC Work) M10  |          |                           |                          |                  |                            |                           |                          |                  |                               |
| 2        | ,   | cu.m     | _                         | _                        | 1.58             | 1.58                       |                           |                          |                  | _                             |
| _        | technical specifications.   |          |                           |                          | 1.00             | 1.00                       |                           |                          |                  |                               |
|          | Providing and laying of reinforcd cement concrete (RCC Work)  |          |                           |                          |                  |                            |                           |                          |                  |                               |
| 3        | , , ,   | cu.m     | _                         | _                        | 11.60            | 11.60                      |                           |                          |                  | _                             |
|          | technical specifications.   |          |                           |                          |                  |                            |                           |                          |                  |                               |
|          | Providing and laying MS Reinforcement including cutting, bending,                                       |          |                           |                          |                  |                            |                           |                          |                  |                               |
| 4        | binding, fixing in position etc. all complete as per specification and                                  | ton      | -                         | -                        | 0.94             | 0.94                       |                           |                          |                  | -                             |
|          | drawing.  |          |                           |                          |                  |                            |                           |                          |                  |                               |
|          | Providing, preparing and installation of form work including  |          |                           |                          |                  |                            |                           |                          |                  |                               |
| 5        | necessary supports and removing after completion for structure  | sq.m     | -                         | -                        | 54.31            | 54.31                      |                           |                          |                  | -                             |
|          | according to drawings and hauling up to 30 m distance.  |          |                           |                          |                  |                            |                           |                          |                  |                               |
| 6        | Back filling in layers in foundationpits, trenches , etc,   | cu.m     | _                         | _                        | 30.96            | 30.96                      |                           |                          |                  | _                             |
|          | includingcompaction all complete with watering  |          |                           |                          | 00.00            |                            |                           |                          |                  |                               |
| D 4 0    | One and the second second   |          |                           |                          |                  | -                          |                           |                          |                  | -                             |
| B.1.2    | Grounding System Providing and laying of plain/reinforcd cement concrete M15                            |          |                           |                          |                  | -                          |                           |                          |                  | -                             |
|          | (manual mixed) in for Switchyard Lightning Protection System,   |          |                           |                          |                  |                            |                           |                          |                  |                               |
| 1        | Earthing arrangement as essential in the substation all complete,                                       | cu.m     | -                         | -                        | 13.50            | 13.50                      |                           |                          |                  | -                             |
|          | wherever required.  |          |                           |                          |                  |                            |                           |                          |                  |                               |
|          | wherever required.  |          |                           |                          |                  | _                          |                           | 1                        |                  | _                             |
| B.1.3    | Illumination System   |          |                           |                          |                  |                            |                           |                          |                  | _                             |
|          | Concrete required for Switchyard and Substation yard lighting with                                      |          |                           |                          |                  |                            |                           |                          |                  |                               |
| 1        | ,   | cu.m     | _                         | _                        | 1.46             | 1.46                       |                           |                          |                  | -                             |
|          | switchyard, as per site conditions all complete   |          |                           |                          |                  |                            |                           |                          |                  |                               |
|          |   |          |                           |                          |                  |                            |                           |                          |                  |                               |
|          | Miscellaneous   |          |                           |                          |                  | -                          |                           |                          |                  | -                             |
|          | Surface dressing with Crushed Stone including antiweed treatment  | cu.m     |                           |                          | 2.00             | 2.00                       |                           |                          |                  |                               |
| <u>'</u> | as per TS & approved design all complete  | ou.iii   | _                         | _                        | 2.00             | 2.00                       |                           |                          |                  | _                             |
|          |   |          |                           |                          |                  | -                          |                           |                          |                  | -                             |

Name of Tenderer

Signature of Tenderer



## Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|      |   |      |                           | Quantity                 |                  |                |                           | Unit Price, Local Cu     | rrency           | Total Price                   |
|------|---|------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|-------------------------------|
| Item | Description   | Unit | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency                |
| 1    | 2   | 2    |                           | 4                        |                  | 5 = Σ4         | 6                         |                          |                  | $7 = \Sigma(\pi(4 \times 6))$ |
|      | 2   |      | Α                         | В                        | С                | U - E+         | Α                         | В                        | С                | 7 - Z(II(4 X 0))              |
| B.   | 33 kV FEEDER / TAP OFF STRUCTURE  |      |                           |                          |                  |                |                           |                          |                  |                               |
| B.2  | Installation Testing and Commissioning Works of Electrical Components of Substation                               |      |                           |                          |                  | -              |                           |                          |                  | -                             |
|      | Interconnection System  |      |                           |                          |                  | -              |                           |                          |                  | -                             |
| 1    | Accessories all Complete  | set  | -                         | -                        | 1.00             | 1.00           |                           |                          |                  | -                             |
| 4    | accessories all complete  | set  | -                         | -                        | 2.00             | 2.00           |                           |                          |                  | -                             |
| 3    | 36 kV, 400 A/300 A Load Break Switch with accessories all complete  | set  | -                         | -                        | -                | -              |                           |                          |                  | -                             |
| 4    | complete as specified   | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | -                             |
|      | accessories all complete as specified   | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | -                             |
|      | 1 , , , , , , , , , , , , , , , , , , ,   | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | -                             |
| '    | laccessories required for the tapping and bay extension work  | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | -                             |
| 8    | Marshalling Kiosk Box with Accessories all Complete for placement at tapping point                                | set  | -                         | -                        | 1.00             | 1.00           |                           |                          |                  | -                             |
|      | Structures, insulators and busbars - For Bay  |      |                           |                          |                  | -              |                           |                          |                  | -                             |
| '    | Gantry Column, Girder structures for 33/11 kV substation, all complete as per specifications for each sub-project | lot  | -                         | -                        | 0.65             | 0.65           |                           |                          |                  | -                             |
|      | 36W, IP 65 Outdoor light for installation at Tap off Point/Switchyard/LILO point                                  | set  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | -                             |
|      |   |      |                           |                          |                  | -              |                           |                          |                  | -                             |



4-A-54 Section 4: Tender Forms

### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

|          |   |       |                           | Quantity                 | 1                |                |                           | Unit Price, Local Cu     | irrency          | Total Price                   |
|----------|---|-------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|-------------------------------|
| Item     | Description   | Unit  | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency                |
|          | _   | _     | , ,                       | 4                        |                  |                |                           | 6                        |                  |                               |
| 1        | 2   | 3     | Α                         | В                        | С                | 5 = Σ4         | Α                         | В                        | С                | $7 = \Sigma(\pi(4 \times 6))$ |
| C.1      | Installation, Testing and Commissioning Works                           |       |                           |                          |                  |                |                           |                          |                  |                               |
| C.1.1    | Stringing of Conductors   |       |                           |                          |                  | -              |                           |                          |                  | -                             |
|          | Overhead ACSR WOLF Conductor, 150 sq mm. with 5% Sag                    | kms   | -                         | -                        | - 1              | -              |                           |                          |                  | -                             |
| 2        | Overhead ACSR DOG Conductor, 100 sq mm. with 5% Sag                     | kms   | 1.15                      | 0.23                     | 84.36            | 85.75          |                           |                          |                  | -                             |
|          | ADSS Cable with 5% sag,approach cable and support structure             |       |                           |                          |                  |                |                           |                          |                  |                               |
| _ ء      | (Clamp, nut bolts, shackle insulators all) all complete as per          | kma   | 0.19                      | 0.04                     | 20 12            | 28.35          |                           |                          |                  |                               |
| 3        | specifications for SCADA of Tapping Point to Substation and             | kms   | 0.19                      | 0.04                     | 28.12            | 20.33          |                           |                          |                  | -                             |
|          | facility for data transfer to other substation in future                |       |                           |                          |                  |                |                           |                          |                  |                               |
| C.1.2    | Poles and accessories   |       |                           |                          |                  | -              |                           |                          |                  | -                             |
|          | Hardware and transportation of 11 m long Steel tubular pole             |       |                           |                          |                  |                |                           |                          |                  |                               |
| , 1      | including erection - excavation of footing, making pole vent, placing   | Nos.  | -                         | -                        | 641.00           | 641.00         |                           |                          |                  | -                             |
| ı        | in footing, backfilling, concreting all complete                        |       |                           |                          |                  |                |                           |                          |                  |                               |
|          | Hardware and transportation of 13 m long Steel tubular pole             |       |                           |                          |                  |                |                           |                          |                  |                               |
| 2        | including erection - excavation of footing, making pole vent,           | Nos.  | 10.00                     | 6.00                     | -                | 16.00          |                           |                          |                  | -                             |
|          | placing in footing, backfilling, concreting all complete                |       |                           |                          |                  |                |                           |                          |                  |                               |
| 2        | Stay sets, with stay wire, rod, ties & insulator all complete including | aat   | 6.00                      | 4.00                     | 152.00           | 162.00         |                           |                          |                  |                               |
| <u> </u> | transportation to site.   | Set   | 0.00                      | 4.00                     | 152.00           | 102.00         |                           |                          |                  | -                             |
|          | Providing and laying of plain cement concrete (PCC) M15 (manual         |       |                           |                          |                  |                |                           |                          |                  |                               |
| 4        | mixed) in foundation complete as per drawing and technical              | cum   | 6.44                      | 3.22                     | 505.91           | 515.56         |                           |                          |                  | -                             |
|          | specifications for 11 m and 13 m STP.                                   |       |                           |                          |                  |                |                           |                          |                  |                               |
| C.1.3    | Special Components  |       |                           |                          |                  | -              |                           |                          |                  | -                             |
|          | Hardware and transportation of 14.5 m long Steel tubular pole           |       |                           |                          |                  |                |                           |                          |                  |                               |
| 1        | including erection - excavation of footing, making pole vent, placing   | set   | 1.00                      | 1.00                     | 4.00             | 6.00           |                           |                          |                  | -                             |
|          | in footing, backfilling, concreting all complete                        |       |                           |                          |                  |                |                           |                          |                  |                               |
|          | Providing and laying of plain cement concrete (PCC) M15 (manual         |       |                           |                          |                  |                |                           |                          |                  |                               |
| 2        | mixed) in foundation complete as per drawing and technical              | cum   | 1.31                      | 1.31                     | 5.25             | 7.87           |                           |                          |                  | -                             |
|          | specifications for 14.5 m STP.  |       |                           |                          |                  |                |                           |                          |                  |                               |
|          | Work related with Steel Lattice Towers required concrete                |       |                           |                          |                  |                |                           |                          |                  |                               |
|          | foundation, stub setting and erection all complete including            |       |                           |                          |                  |                |                           |                          |                  |                               |
| 3        | excavation (approx. 42 cu. m, PCC M10 Concrete (approx. 1.16            | nos.  | -                         | -                        | 4.00             | 4.00           |                           |                          |                  | -                             |
|          | cu. M, M20 Concrete (approx. 5 cu. M), Rebar (approx. 0.35 ton)         |       |                           |                          |                  |                |                           |                          |                  |                               |
|          | and Cement (approx. 175 bags)   |       |                           |                          |                  |                |                           |                          |                  |                               |
| 1        | Bird Guard in Poles as per project requirement (1 set consists of       | set   | 10.00                     | 10.00                    | 30.00            | 50.00          |                           |                          |                  |                               |
| 4        | complete set required for a pole)                                       | Set   | 10.00                     | 10.00                    | 30.00            | 50.00          |                           |                          |                  | -                             |
| C.1.4    | Dismantling Works   |       |                           |                          |                  | -              |                           |                          |                  | -                             |
|          | Dismantling and Transportation to specified location (preferably        |       |                           |                          |                  |                |                           |                          |                  |                               |
| 1        | NEA store nearby/substation compound) of 9 m ,10 m, 11 m pole           | nos.  | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  |                               |
| ı        | including conductor (approx 50 m distance between poles) as             | 1103. | 1.00                      | 1.00                     | 1.00             | 3.00           |                           |                          |                  | _                             |
|          | essential in the site   |       |                           |                          |                  |                |                           |                          |                  |                               |
|          | Dismantling and Transportation to specified location (preferably        |       |                           |                          |                  |                |                           |                          |                  |                               |
| 2        | NEA store nearby/substation compound) of ACSR Conductors as             | kms   | 0.15                      | 0.15                     | 0.15             | 0.45           |                           |                          |                  | -                             |
|          | essential in the site   |       |                           |                          |                  |                |                           |                          |                  |                               |
|          | Recondutoring of 33 kV or 11 kV lines for certain sections as           | kms   | 0.15                      | 0.15                     | 0.15             | 0.45           |                           |                          |                  |                               |
| 3        | double or single circuit  | K1119 | 0.15                      | 0.15                     | 0.15             | 0.45           |                           |                          |                  | <u> </u>                      |

| Name of Tenderer       |  |
|------------------------|--|
|                        |  |
| Signature of Tenderer_ |  |



### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

LC: NPR

|      |  |       |                           | Quantity                 |                  |                |                           | Unit Price, Local Curr   | ency             | Total Price      |
|------|--|-------|---------------------------|--------------------------|------------------|----------------|---------------------------|--------------------------|------------------|------------------|
| Item | Description  | Unit  | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Total Quantity | Sigas Surnaiya<br>(Musya) | Budhiganga<br>Budhiganga | Badimalika Kolti | Local Currency   |
| 4    | 2  | ,     |                           | 4                        |                  | 5 = Σ4         | 6                         |                          |                  | 7 = Σ(π(4 x 6))  |
| 1    | 2  |       | Α                         | В                        | С                | 5 = 24         | Α                         | В                        | С                | 7 = 2(11(4 x 6)) |
| D.   | Under Ground Cable   |       |                           |                          |                  |                |                           |                          |                  |                  |
|      | 33kV Underground Power Cable and ADSS Cable Laying works (2        |       |                           |                          |                  |                |                           |                          |                  |                  |
|      | phases of Conductors and ADSS cables in sepearate Flexible         |       |                           |                          |                  |                |                           |                          |                  |                  |
| 1    | Pipe/HDPE Pipe/Conduits) including transportation to site and      | kms   |                           |                          |                  |                |                           |                          |                  |                  |
| '    | Restoration of road to original with required drainage, pavement,  | KIIIS | -                         | _                        | -                | -              |                           |                          |                  | -                |
|      | black-topping, subbase and base as per TS of Department of         |       |                           |                          |                  |                |                           |                          |                  |                  |
|      | Roads and/or respective Municipality                               |       |                           |                          |                  |                |                           |                          |                  |                  |
| 2    | Installation of Cable Straight through Joints with accessories all | Set   |                           |                          |                  |                |                           |                          |                  |                  |
|      | complete including transportation to site                          | Set   | _                         | -                        | -                | -              |                           |                          |                  | -                |
| 2    | Installation of 33 kV outdoor XLPE Cable Termination kit with      | Set   |                           |                          |                  |                |                           |                          |                  |                  |
|      | accessories all complete including transportation to site          | 361   | _                         | _                        | _                |                |                           |                          |                  |                  |
| 1    | Installation of 30 kV LA (3Nos), Power Fuse (3Nos) including       | Set   | _                         | _                        | _                | _              |                           |                          |                  | _                |
| 4    | accessories all complete including transportation to site          | 361   | _                         | _                        | _                |                |                           |                          |                  |                  |
| 5    | Supply & Installation of Danger Sheets and Route Markers           | kms   | _                         | _                        | _                | _              |                           |                          |                  | _                |
|      | Complete including transportation to site                          | KIIIS |                           |                          |                  |                |                           |                          |                  |                  |
|      | Earthing works including Supply of Earthing Materials required in  |       |                           |                          |                  |                |                           |                          |                  |                  |
| 6    | U/G Cable Terminations, Straight Through Joints, LA etc to         | Lot   | _                         | _                        | _                | _              |                           |                          |                  | _                |
|      | complete the specified scope of works including transportation to  |       | _                         | _                        | _                | _              |                           |                          |                  | _                |
|      | site   |       |                           |                          |                  |                |                           |                          |                  |                  |
| 7    | Construction of Cable Joining Station/Pits                         | Set   | -                         | -                        | -                | _              |                           |                          |                  | -                |



### Nepal Electricity Authority Distribution and Consumer Services Directorate Distribution System Upgrade and Expansion Project

#### Schedule of Rates and Prices

Schedule No. 4: Installation and Other Services (Excluding VAT applicable in Employer's Country)

FC: USD LC: NPR

| Item | Description   | Unit | Total Price      | Total Price    |
|------|---|------|------------------|----------------|
|      |   |      | Foreign Currency | Local Currency |
| 1    | 2   | 3    | 4                | 5              |
| E.   | Environmental Mitigation Works                                      |      |                  |                |
| E.1  | Environmental and Social Mitigation Works                           |      |                  |                |
| 1    | Mitigation Works as per the ESMP Reports and as assigned by Client. | lot  |                  | -              |

Name of Tenderer \_\_\_\_\_

Signature of Tenderer\_\_\_\_



### Nepal Electricity Authority

### Distribution and Consumer Services Directorate

### Distribution System Upgrade and Expansion Project

### Schedule of Rates and Prices

### Schedule No. 6: Recommended Spare Parts (Excluding VAT in Employer's Country)

FC: USD

|      |             |          | Unit             | Price          | Total                    | Price                  |  |  |  |  |
|------|-------------|----------|------------------|----------------|--------------------------|------------------------|--|--|--|--|
| Item | Description | Quantity | CIP              | EXW            |                          |                        |  |  |  |  |
| Item | Description | Quantity | Imported Parts   | Local Parts    | Foreign Currency Portion | Local Currency Portion |  |  |  |  |
|      |             |          | Foreign Currency | Local Currency |                          |                        |  |  |  |  |
| 1    | 2           | 3        | 4                | 5              | 6 = 3 x 4                | 7 = 3 x 5              |  |  |  |  |
|      |             |          |                  |                |                          |                        |  |  |  |  |
|      |             |          |                  |                |                          |                        |  |  |  |  |
|      |             |          |                  |                |                          |                        |  |  |  |  |
|      |             |          |                  |                |                          |                        |  |  |  |  |
|      |             |          |                  |                |                          |                        |  |  |  |  |
|      |             |          |                  |                |                          |                        |  |  |  |  |
|      |             |          |                  |                |                          |                        |  |  |  |  |
|      |             |          |                  |                |                          |                        |  |  |  |  |
|      |             |          |                  |                |                          |                        |  |  |  |  |
|      |             |          |                  |                |                          |                        |  |  |  |  |
|      |             |          |                  |                |                          |                        |  |  |  |  |
|      | ·           |          |                  | TOTAL          |                          |                        |  |  |  |  |

| Name of Tenderer |  |  |
|------------------|--|--|
|                  |  |  |
|                  |  |  |



